Form 3160-3 (August 1999)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB No. 1004-0136 Expires November 30, 2000

001

APPLICATION FOR PERMIT TO DRILL OR REENTER

5. Lease Serial No. U-01196-E

6. If Indian, Allottee or Tribe Name

la. Type of Work: ☑ DRILL ☐ REENTER	CONFIDENTIAL	7. If Unit or CA Agreement, Name NATURAL BUTTES	and No.
1b. Type of Well: ☐ Oil Well ☐ Gas Well ☐ Oth	ner 🔀 Single Zone 🔲 Multiple Zone	8. Lease Name and Well No. CIGE 268	
2. Name of Operator Contact: EL PASO PRODUCTION O&G COMPANY	CHERYL CAMERON E-Mail: Cheryl.Cameron@CoastalCorp.com	9. API Well No. 43-047-3441	2
3a. Address P.O. BOX 1148 VERNAL, UT 84078	3b. Phone No. (include area code) Ph: 435.781.7023 Fx: 435.789.4436	10. Field and Pool, or Exploratory NATURAL BUTTES	
Location of Well (Report location clearly and in accordance At surface NWSE 1731FSL 1877FEL At proposed prod. zone	nce with any State requirements.*) 4424335 N 631508 E	11. Sec., T., R., M., or Blk. and Sur Sec 8 T10S R22E Mer SL	
14. Distance in miles and direction from nearest town or post 23.6 MILES SOUTHEAST OF OURAY, UT	office*	12. County or Parish UINTAH	13. State UT
 Distance from proposed location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any) 1731 	16. No. of Acres in Lease	17. Spacing Unit dedicated to this v	well
18. Distance from proposed location to nearest well, drilling, completed, applied for, on this lease, ft. REFER TO TOPO C	19. Proposed Depth 6700 MD	20. BLM/BIA Bond No. on file BLM WY3457	
21. Elevations (Show whether DF, KB, RT, GL, etc. 5227 GL	22. Approximate date work will start	23. Estimated duration	
	24. Attachments		<u> </u>

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No. 1, shall be attached to this form:

1. Well plat certified by a registered surveyor.

2. A Drilling Plan.

A Surface Use Plan (if the location is on National Forest System Lands, the SUPO shall be filed with the appropriate Forest Service Office).

- Bond to cover the operations unless covered by an existing bond on file (see Item 20 above).
- 5. Operator certification
- Such other site specific information and/or plans as may be required by the authorized officer.

25. Slepature (Electronic Submission)	Name V. Finted/Typed) HERYL CAMERON Ph: 435.781.7023	Date 12/03/2001
Title OPERATIONS	A RANGE OF THE PARTY OF THE PAR	
Approved by (Signature)	Name (Printed/Typed) BRADLEY G. HILL	Date 12-11-0 (
Title	Office RECLAMATION SPECIALIST III	

Application approval does not warrant or certify the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Conditions of approval, if any, are attached.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.


Additional Operator Remarks (see next page)

RECEIVED

Electronic Submission #9574 verified by the BLM Well Information System For EL PASO PRODUCTION O&G COMPANY, sent to the Vernal

DIVISION OF OIL, GAS AND MINING

T10S, R22E, S.L.B.&M.



LEGEND:

= 90° SYMBOL

PROPOSED WELL HEAD.

= SECTION CORNERS LOCATED.


LATITUDE = $39^{57}39$ " LONGITUDE = $109^{27}36$ "

EL PASO PRODUCTION OIL & GAS COMPANY

Well location, CIGE #268, located as shown in the NW 1/4 SE 1/4 of Section 8, T10S, R22E, S.L.B.&M. Uintah County, Utah.

BASIS OF ELEVATION

SPOT ELEVATION AT THE SOUTHEAST CORNER OF SECTION 8, T10S, R22E, S.L.B.&M. TAKEN FROM THE ARCHY BENCH, QUADRANGLE, UTAH, UINTAH COUNTY, 7.5 MINUTE QUAD. (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 5198 FEET.



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY WELDH UNDER MY SUPERVISION AND THAT THE SAME ARE THE AND ANTIBECT OF BEST OF MY KNOWLEDGE AND BELIEF.

OIL & GAS COMPANY

UINTAH ENGINEERING VERNALIUTAN 85 SOUTH 200 EAST (435) 789-1017

SCALE DATE SURVEYED: DATE DRAWN: 1" = 1000'10-24-01 10-29-01 PARTY REFERENCES D.K. R.W. D.COX G.L.O. PLAT WEATHER FILE **EL PASO PRODUCTION** COOL

EL PASO PRODUCTION OIL & GAS COMPANY

CIGE #268 SECTION 8, T10S, R22E, S.L.B.&M.

PROCEED IN A WESTERLY DIRECTION FROM VERNAL, UTAH ALONG U.S. HIGHWAY 40 APPROXIMATELY 14.0 MILES TO THE JUNCTION OF STATE HIGHWAY 88; EXIT LEFT AND PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 17.0 MILES TO OURAY, UTAH; PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 6.9 MILES ON THE SEEP RIDGE ROAD TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE EAST; TURN LEFT AND PROCEED IN AN EASTERLY DIRECTION APPROXIMATELY 5.0 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE NORTH: TURN LEFT AND PROCEED IN A NORTHERLY DIRECTION APPROXIMATELY 0.3 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE NORTHEAST; TURN RIGHT AND PROCEED IN A NORTHEASTERLY DIRECTION APPROXIMATELY 4.8 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTH; TURN RIGHT AND PROCEED IN A SOUTHERLY, THEN SOUTHEASTERLY, THEN EASTERLY, THEN SOUTHEASTERLY DIRECTION APPOXIMATELY 5.6 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTHEAST: PROCEED IN A SOUTHEASTERLY, THEN NORTHEASTERLY, THEN SOUTHEASTERLY DIRECTION APPOXIMATELY 0.7 MILES TO THE BEGINNING OF THE PROPOSED ACCESS ROAD TO THE SOUTHWEST; FOLLOW ROAD FLAGS IN A SOUTHWESTERLY, THEN WESTERLY DIRECTION APPROXIMATELY 0.3 MILES TO THE PROPOSED LOCATION.

TOTAL DISTANCE FROM VERNAL, UTAH TO THE PROPOSED WELL LOCATION IS APPROXIMATELY 54.6 MILES.

CIGE #268 NW/SE Sec. 8-T10S, R22E UINTAH COUNTY, UTAH LEASE #U-01196-E

ONSHORE ORDER NO. 1

DRILLING PROGRAM

1. Estimated Tops of Important Geologic Markers:

Green River 1250 Wasatch 4370	<u>Formation</u>	<u>Depth</u>
Wasatch 4370	KB	5245'
17 4041011	Green River	1250'
TD 6700	Wasatch	4370'
	TD	6700'

2. <u>Estimated Depths of Anticipated Water, Oil, Gas, or Mineral Formations</u>:

Substance	<u>Formation</u>	Depth
	Green River	1250'
Gas	Wasatch	4370'
Water	N/A	
Other Minerals	N/A	

3. Pressure Control Equipment (Schematic Attached)

Please see the Natural Buttes Unit Standard Operating Procedure (SOP).

4. Proposed Casing & Cementing Program:

Please see the Natural Buttes Unit SOP.

5. <u>Drilling Fluids Program:</u>

Please see the Natural Buttes Unit SOP.

6. Evaluation Program:

Please see the Natural Buttes Unit SOP.

7. Abnormal Conditions:

Maximum anticipated bottomhole pressure calculated at 6700' TD, approximately equals 2,860 psi (calculated at 0.4 psi/foot).

Maximum anticipated surface pressure equals approximately 1,386 psi (bottomhole pressure minus the pressure of a partially evacuated hole calculated at 0.22 psi/foot).

CIGE #268 NW/SE Sec. 8-T10S-R22E UINTAH COUNTY, UTAH LEASE #U-01196-E

ONSHORE ORDER NO. 1

MULTI-POINT SURFACE USE & OPERATIONS PLAN

An onsite inspection was conducted for the CIGE #268 on 11/29/01, for the subject well.

1. Existing Roads:

The proposed well site is approximately 23.6 miles southeast of Ouray, Utah. Directions to the location from Ouray, Utah are attached.

Refer to Topo Maps A and B for location of access roads within a 2-mile radius.

2. Planned Access Roads:

Please see the Natural Buttes Unit Standard Operating Procedure (SOP).

Refer to Topo Map B for the location of the proposed access road.

3. Location of Existing Wells Within a 1-Mile Radius

Please refer to Topo Map C.

4. Location of Existing & Proposed Facilities

Please see the Natural Buttes Unit SOP.

Refer to Topo Map D for the location of the proposed pipeline.

5. Location and Type of Water Supply:

Please see the Natural Buttes SOP.

6. Source of Construction Materials

Please see the Natural Buttes SOP.

7. Methods of Handling Waste Materials

Please see the Natural Buttes SOP.

Any produced water from the proposed well will be contained in a water tank and will then be hauled by truck to one of the pre-approved disposal sites: RNI, Sec.5, T9S, R22E, NBU #159,

Sec.35, T9S, R21E, Ace Oilfield Sec.2, T6S, R20E, MC&MC Sec 12, T6S, R19E (Requests is lieu of filing Form 3160-5, after initial production).

8. Ancillary Facilities:

Please see the Natural Buttes SOP.

9. Well Site Layout: (See Location Layout Diagram)

The attached Location Layout Diagram describes drill pad cross-sections, cuts and fills, and locations of the mud tanks, reserve pit, flare pit, pipe racks, trailer parking, spoil dirt stockpile(s), and surface material stockpile(s).

Location size may change prior to the drilling of the well due to the current rig availability. If the proposed location is not large enough to accommodate the drilling rig. The location will be resurveyed and a form 3160-5 will be submitted.

Please see the attached diagram to describe rig orientation, parking areas, and access roads.

The location shall be bermed to prevent flooding as discussed during the on-site inspection.

If plastic reinforced liner is used, it will be a minimum of 12 mil thick, with sufficient bedding used to cover any rocks (Felt & Straw). The liner will overlap the pit walls and be covered with dirt and/or rocks to hold it in place. No trash or scrap that could puncture the liner will be do disposed of in the pit.

A 24" culvert shall be constructed at the location entrance, as discussed during the on-site inspection.

10. Plans for Reclamation of the Surface:

Please see the Natural Buttes SOP.

The following seed mixture will be used to reclaim the surface. A total of 12 lbs/acre will be used if seeds are drilled (24 lbs/acre if seeds are broadcast). The per acre requirements for drilled seeds are:

Black Sage 1 lb.
Shade Scale 5 lbs.
Indian Ricegrass 6 lbs.

11. Surface Ownership:

The well pad and access road are located on lands owned by:

United State of America Bureau of Land Management 170 South 500 East Vernal, Utah 84078 (435)781-4400

CIGE #268 NW/SE Sec. 8-T10S-R22E UINTAH COUNTY, UTAH LEASE #U-01196-E

ONSHORE ORDER NO. 1

MULTI-POINT SURFACE USE & OPERATIONS PLAN

An onsite inspection was conducted for the CIGE #268 on 11/29/01, for the subject well.

1. <u>Existing Roads</u>:

The proposed well site is approximately 23.6 miles southeast of Ouray, Utah. Directions to the location from Ouray, Utah are attached.

Refer to Topo Maps A and B for location of access roads within a 2-mile radius.

2. Planned Access Roads:

Please see the Natural Buttes Unit Standard Operating Procedure (SOP).

Refer to Topo Map B for the location of the proposed access road.

3. <u>Location of Existing Wells Within a 1-Mile Radius</u>

Please refer to Topo Map C.

4. Location of Existing & Proposed Facilities

Please see the Natural Buttes Unit SOP.

Refer to Topo Map D for the location of the proposed pipeline.

5. Location and Type of Water Supply:

Please see the Natural Buttes SOP.

6. Source of Construction Materials

Please see the Natural Buttes SOP.

7. Methods of Handling Waste Materials

Please see the Natural Buttes SOP.

Any produced water from the proposed well will be contained in a water tank and will then be hauled by truck to one of the pre-approved disposal sites: RNI, Sec.5, T9S, R22E, NBU #159,

Sec. 35, T9S,R21E, Ace Oilfield Sec. 2, T6S,R20E, MC&MC Sec 12, T6S,R19E (Requests is lieu of filing Form 3160-5, after initial production).

8. Ancillary Facilities

Please see the Natural Buttes SOP.

9. Well Site Layout: (See Location Layout Diagram)

The attached Location Layout Diagram describes drill pad cross-sections, cuts and fills, and locations of the mud tanks, reserve pit, flare pit, pipe racks, trailer parking, spoil dirt stockpile(s), and surface material stockpile(s).

Location size may change prior to the drilling of the well due to the current rig availability. If the proposed location is not large enough to accommodate the drilling rig. The location will be resurveyed and a form 3160-5 will be submitted.

Please see the attached diagram to describe rig orientation, parking areas, and access roads.

The location shall be bermed to prevent flooding as discussed during the on-site inspection.

If plastic reinforced liner is used, it will be a minimum of 12 mil thick, with sufficient bedding used to cover any rocks (Felt & Straw). The liner will overlap the pit walls and be covered with dirt and/or rocks to hold it in place. No trash or scrap that could puncture the liner will be do disposed of in the pit.

A 24" culvert shall be constructed at the location entrance, as discussed during the on-site inspection.

10. Plans for Reclamation of the Surface:

Please see the Natural Buttes SOP.

The following seed mixture will be used to reclaim the surface. A total of 12 lbs/acre will be used if seeds are drilled (24 lbs/acre if seeds are broadcast). The per acre requirements for drilled seeds are:

Black Sage 1 lb.
Shade Scale 5 lbs.
Indian Ricegrass 6 lbs.

11. Surface Ownership:

The well pad and access road are located on lands owned by:

United State of America Bureau of Land Management 170 South 500 East Vernal, Utah 84078 (435)781-4400

12. Other Information:

A Class III archaeological survey was conducted by MOAC Archaeological Consultants.

This location is not within 460 feet from the boundary of the Natural Buttes Unit, nor is it within 460 feet of any non-committed tract lying within the boundaries of the Unit.

13. Lessee's or Operators's Representative & Certification:

Cheryl Cameron Regulatory Analyst El Paso Production O&G Co. P.O. Box 1148 Vernal, UT 84078 (435) 781-7023 Scott Palmer
Drilling Manager
El Paso Production O&G Co.
9 Greenway Plaza
Houston, TX 77046-0995
(713) 420-4850

Certification: All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approved Plan of Operations, and any applicable Notice to Lessees.


El Paso Production Oil & Gas Company is considered to be the operator of the subject well. El Paso Production Oil & Gas Company agrees to be responsible under the terms and conditions of the lease for the operations conducted upon leased lands.


Bond Coverage pursuant to 43 CFR 3104 for lease activities is being provided by El Paso Production Oil & Gas Company, Nationwide Bond #WY3457.


The Operator will be fully responsible for the actions of its subcontractors. A complete copy of the approved "Application for Permit to Drill" will be furnished to the field representative(s) to ensure compliance and shall be on location during all construction and drilling operations.

I hereby certify that I, or persons under my supervision, have inspected the proposed drill site and access route, that I am familiar with the conditions that currently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and the work associated with the operations proposed herein will be performed by the Operator, its contractors, and subcontractors in conformity with this plan and the terms and conditions under which it is approved.


/s/ Cheryl Cameron hery Comen	12/03/01
Cheryl Cameron	Date











EOF STACK











EL PASO PRODUCTION OIL & GAS COMPANY

CIGE #268

LOCATED IN UINTAH COUNTY, UTAH **SECTION 8, T10S, R22E, S.L.B.&M.**




PHOTO: VIEW FROM CORNER #5 TO LOCATION STAKE

CAMERA ANGLE: SOUTHEASTERLY




PHOTO: VIEW FROM BEGINNING OF PROPOSED ACCESS

CAMERA ANGLE: SOUTHWESTERLY



Uintah Engineering & Land Surveying 85 South 200 East Vernal, Utah 84078 435-789-1017 uels@uelsinc.com

LOCATION PHOTOS


MONTH DAY YEAR

РНОТО

TAKEN BY: K.K. | DRAWN BY: P.M. | REVISED: 00-00-00

WORKSHEET APPLICATION FOR PERMIT TO DRILL

SURFACE: 1731 FSL 1877 FEL BOTTOM: 1731 FSL 1877 FEL UINTAH NATURAL BUTTES (630) LEASE TYPE: 1 - Federal LEASE TYPE: 1 - Federal LEASE NUMBER: U-01196-E SURFACE OWNER: 1 - Federal PROPOSED FORMATION: WSTC RECEIVED AND/OR REVIEWED: Plat Bond: Fed[1] Ind[] Sta[] Fee[] (No. W3457 Potash (Y/N) Oil Shale **90-5 (B) or 190-3 or 190-13 Water Permit (No. 43-8496 N RDCC Review (Y/N) (Date:) NA Fee Surf Agreement (Y/N) PROPOSED FORMATION: WSTC LOCATION AND SITING: R649-3-3. Unit NATURAL BUTTES R649-3-2. General Siting: 460 From Otr/Otr & 920' Between R649-3-3. Exception Drilling Unit Board Cause No: 173-14 Eff Date: 12-2-99 Siting: 460-5-11. Directional Drill COMMENTS: NBU Sol, Separat Sit.	
NWSE 08 100S 220E SURFACE: 1731 FSL 1877 FEL BOTTOM: 1731 FSL 1877 FEL UINTAH NATURAL BUTTES (630) LEASE TYPE: 1 - Federal LEASE NUMBER: U-01196-E SURFACE OWNER: 1 - Federal PROPOSED FORMATION: WSTC RECEIVED AND/OR REVIEWED: Plat Bond: Fed[1] Ind[] Sta[] Fee[] (No. W33457) Potash (Y/N) Oil Shale 390-5 (B) or 190-3 or 190-13 Water Permit (No. 43-8496 N RDCC Review (Y/N) (Date: NAME AND SITING: R649-3-3. Unit NATURAL BUTTES R649-3-3. Exception Drilling Unit Board Cause No: 173-14 Eff Date: 12-2-99 Siting: 460 From Oth/Oth & 100-10 Individual Endowments NAME Fee Surf Agreement (Y/N) R649-3-11. Directional Drill COMMENTS: NBM Sol, Separate file.	
SURFACE: 1731 FSL 1877 FEL BOTTOM: 1731 FSL 1877 FEL UINTAH NATURAL BUTTES (630) LEASE TYPE: 1 - Federal LEASE NUMBER: U-01196-E SURFACE OWNER: 1 - Federal PROPOSED FORMATION: WSTC RECEIVED AND/OR REVIEWED: Plat Bond: Fed[1] Ind[] Sta[] Fee[] (No. W33457) Potash (Y/N) Oil Shale 390-5 (B) or 190-3 or 190-13 Water Permit (No. 43-8496) N RDCC Review (Y/N) (Date:) NA Fee Surf Agreement (Y/N) RECEIVED AND/OR REVIEWED: LOCATION AND SITING: R649-3-3. Unit NATURAL BUTTES R649-3-2. General Siting: 460 From Qtr/Qtr & 920' Between R649-3-3. Exception Drilling Unit Board Cause No: 172-14 Eff Date: 12-2-99 Siting: 1/10/f. Hait Laurding E. Market Permit NA Fee Surf Agreement (Y/N) R649-3-11. Directional Drill COMMENTS: NBU Sol, Separate file.	
UINTAH NATURAL BUTTES (630) LEASE TYPE: 1 - Pederal LEASE NUMBER: U-01196-E SURFACE OWNER: 1 - Federal PROPOSED FORMATION: WSTC RECEIVED AND/OR REVIEWED: Plat Bond: Fed[1] Ind[] Sta[] Fee[] (No. W3457) Potash (Y/N) Oil Shale 190-5 (B) or 190-3 or 190-13 Water Permit (No. 43-8496) RCC Review (Y/N) (Date:	ate
LEASE TYPE: 1 - Federal LEASE NUMBER: U-01196-E SURFACE OWNER: 1 - Federal PROPOSED FORMATION: WSTC RECEIVED AND/OR REVIEWED: Plat Bond: Fed[1] Ind[] Sta[] Fee[] (No. W3457 N Potash (Y/N) Value Permit (No. 43-8496 N RDCC Review (Y/N) (Date:) N/A Fee Surf Agreement (Y/N) COMMENTS: Name of the potash (Y/N) Surface Surface Surface Surface Surface LOCATION AND SITING: R649-2-3. Unit NATURAL BUTTES R649-3-2. General Siting: 460 From Otr/Otr & 920' Between R649-3-3. Exception Drilling Unit Board Cause No: 172-14 Eff Date: 12-2-99 Siting: 1/10-15-11 R649-3-11. Directional Drill	
LEASE TYPE: 1 - Federal LEASE NUMBER: U-01196-E SURFACE OWNER: 1 - Federal PROPOSED FORMATION: WSTC RECEIVED AND/OR REVIEWED: Description of Ped[1] Ind[] Sta[] Fee[] (No. Wy3457 Potash (Y/N) Oil Shale 190-5 (B) or 190-3 or 190-13 Water Permit (No. 43-8496 NRDCC Review (Y/N) (Date: NAA Fee Surf Agreement (Y/N) RECEIVED AND/OR REVIEWED: LOCATION AND SITING: R649-2-3. Unit NATURAL BUTTES R649-3-2. General Siting: 460 From Qtr/Qtr & 920' Between R649-3-3. Exception Drilling Unit Board Cause No: 173-14 Eff Date: 12-2-99 Siting: 4/no'f. Hait Dandary E Not R649-3-11. Directional Drill COMMENTS: NBU Sol, Separate Electrical Comments:	
LEASE NUMBER: U-01196-E SURFACE OWNER: 1 - Federal PROPOSED FORMATION: WSTC RECEIVED AND/OR REVIEWED: Plat Bond: Fed[1] Ind[] Sta[] Fee[] (No. WY3457) Potash (Y/N) oil Shale 190-5 (B) or 190-3 or 190-13 Water Permit (No. 43-8496) RDCC Review (Y/N) (Date: NAM Fee Surf Agreement (Y/N) COMMENTS: LOCATION AND SITING: R649-2-3. Unit NATURAL BUTTES R649-3-2. General Siting: 460 From Otr/Otr & 920' Between R649-3-3. Exception Drilling Unit Board Cause No: 173-14 Eff Date: 12-2-99 Siting: 460-7-11. Directional Drill R649-3-11. Directional Drill	
Plat Bond: Fed[1] Ind[] Sta[] Fee[] (No. WY3457 Potash (Y/N) Oil Shale 190-5 (B) or 190-3 or 190-13 Water Permit (No. 43-8496 PROCC Review (Y/N) (Date: N/A Fee Surf Agreement (Y/N) COMMENTS: R649-2-3. Unit NATURAL BUTTES R649-3-2. General Siting: 460 From Otr/Otr & 920' Between R649-3-3. Exception Drilling Unit Board Cause No: 173-14 Eff Date: 12-2-99 Siting: 460 From Otr/Otr & 920' Between R649-3-1. Directional Drill R649-3-11. Directional Drill	·
Bond: Fed[1] Ind[] Sta[] Fee[] (No. WY3457 Potash (Y/N) Potash (Y/N) Oil Shale 390-5 (B) or 190-3 or 190-13 Water Permit (No. 43-8496 PROCC Review (Y/N) (Date: NA Fee Surf Agreement (Y/N) COMMENTS: Board Cause No: 173-14 Eff Date: 12-2-99 Siting: 460 From Qtr/Qtr & 920' Between Proceeding Siting: 4	
Siting: 460 From Qtr/Qtr & 920' Between No. 190-13 R649-3-3. Exception	
Potash (Y/N) Oil Shale 190-5 (B) or 190-3 or 190-13 Water Permit (No. 43-8496) RDCC Review (Y/N) (Date: N/A Fee Surf Agreement (Y/N) COMMENTS: R649-3-3. Exception Drilling Unit Board Cause No: 173-14 Eff Date: 12-2-99 Siting: 1/2-1-99 Siting: 1/2-1-99 R649-3-11. Directional Drill	
Oil Shale 190-5 (B) or 190-3 or 190-13 Water Permit (No. 43-8496) RDCC Review (Y/N) (Date:) N/A Fee Surf Agreement (Y/N) COMMENTS: ### Gol, Separat file. Drilling Unit Board Cause No: 173-14 Eff Date: 12-2-99 Siting: 100 f. 10	n Wells
Water Permit (No. 43-8496) RDCC Review (Y/N) (Date: NA Fee Surf Agreement (Y/N) COMMENTS: NBU Sol, Separat file Drilling Unit Board Cause No: 173-14 Eff Date: 12-2-99 Siting: 1/0'f.	
(No. 43-8496) RDCC Review (Y/N) (Date:) NA Fee Surf Agreement (Y/N) COMMENTS: Board Cause No: 173-14 Eff Date: 12-2-99 Siting:	
N RDCC Review (Y/N) (Date:) N/A Fee Surf Agreement (Y/N) COMMENTS: NBU Gol, Separate file.	
COMMENTS: N/A Fee Surf Agreement (Y/N) R649-3-11. Directional Drill R649-3-11. Directional Drill	
COMMENTS: HBU Sol, separate fil.	Tract.
STIPULATIONS: 1-Frd. Approved 2-0:1 Shele	




OPERATOR: EL PASO PROD O&G (N1845)

SEC. 8, T10S, R22E

FIELD: NATURAL BUTTES (630)

COUNTY: UINTAH UNIT: NATURAL BUTTES

CAUSE: 173-14



PREPARED BY: LCORDOVA DATE: 10-DECEMBER-2001



Michael O. Leavitt Governor Kathleen Clarke **Executive Director**

Lowell P. Braxton Division Director 801-538-7223 (TDD)

DIVISION OF OIL, GAS AND MINING

1594 West North Temple, Suite 1210 PO Box 145801 Salt Lake City, Utah 84114-5801 801-538-5340 801-359-3940 (Fax)

December 11, 2001

El Paso Production Oil & Gas Company PO Box 1148 Vernal, UT 84078

Re:

CIGE 268 Well, 1731' FSL, 1877' FEL, NW SE, Sec. 8, T. 10 South, R. 22 East,

Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann.§ 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-34412.

Sincerely,

Associate Director

er

Enclosures

Uintah County Assessor

Bureau of Land Management, Vernal District Office

Operator:	E	Paso Production Oil	& Gas Company	
Well Name & Number	C	CIGE 268		
API Number:		13-047-34412		
Lease:	Ţ	Ј <u>01196-Е</u>		
Location: NW SE	Sec. 8	T. 10 South	R. 22 East	

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

Notify the Division within 24 hours of spudding the well.

• Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

Contact Dan Jarvis at (801) 538-5338

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

- 4. In accordance with Order in Cause No. 190-5(b) dated October 28, 1982, the Operator shall comply with requirements of Rules R649-3-31 and R649-3-27 pertaining to Designated Oil Shale Areas. Additionally, the operator shall ensure that the surface and/or production casing is properly cemented over the entire oil shale interval as defined by Rule R649-3-31. The Operator shall report the actual depth the oil shale is encountered to the Division.
- 5. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.

JAN. 17. 2003 3:34PM

TPORT

NO. 173 P. 2



WESTPORT OIL AND GAS COMPANY, L.P.

410 Seventsenth Street #2300 Deriver Colorado 60202-4436 Telephone: 303 573 5404 Part: 303 573 5609

February 1, 2002

Department of the Interior Bureau of Land Management 2850 Youngfield Street Lakewood, CO 80215-7093 Attention: Ms. Martha Maxwell

RE:

BLM Bond CO-1203

BLM Nationwide Bond 158626364
Surety - Commental Casualty Company
Belco Energy Corporation merger into Westport Oil and Gas Company, Inc.
Conversion of Westport Oil and Gas Company, Inc., into Westport Oil and Gas Company, L.P.
Assumption Rider - Westport Oil and Gas Company, L.P.

Dear Ms. Maxwell:

Pursuant to our recent conversations, please find the following list of enclosures for the BLM's consideration and approval:

Two (Z) Assumption Riders, fully executed originals.
Copies of Belco Energy Corporation merger into Westport Oil and Gas Company, Inc., Copies of Westport Oil and Gas Company, Inc., conversion into Westport Oil and Gas Company, L.P.
List of all Federal/BIA/State Leases - Belco/Westport's leases - in all states.

Please inform us of any additional information needed to complete the change to Westport Oil and Gas Company, L.P., as operator of record.

I thank you for your assistance and cooperation in this matter. Please do not hesitate contacting the undersigned, should a question arise.

Sincerely,

Westport Oil and Gas Company, L.P.

Debby J. Black Engineer Technician

Engl:

Form 3160-3 (August 1999)

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED OMB No. 1004-0136 Expires November 30, 2000

DEPARTMENT OF TH BUREAU OF LAND M.	IE INTERIOR ANAGEMENT	5. Lease Serial No. U-01196-E	
5 APPLICATION FOR PERMIT TO	DRILL OR REENTER	6. If Indian, Allottee or Tribe N	
	CONFIDENTIAL	7. If Unit or CA Agreement, Na NATURAL BUTTES	me and No.
	C Makinla 7a	8. Lease Name and Well No. CIGE 268	
1b. Type of Well. On Well	CHERYL CAMERON -Mail: Cheryl.Cameron@CoastalCorp.com	9. API Well No.	
3a. Address P.O. BOX 1148	3b. Phone No. (include area code) Ph: 435.781.7023 Fx: 435.789.4436	10. Field and Pool, or Explorat NATURAL BUTTES	
VERNAL, UT 84078 4. Location of Well (Report location clearly and in accordant		11. Sec., T., R., M., or Blk. and	Survey or Area
At surface NWSE 1731FSL 1877FEL		Sec 8 T10S R22E Mer	SLB
At proposed prod. zone		12. County or Parish	13. State
14. Distance in miles and direction from nearest town or post of 23.6 MILES SOUTHEAST OF OURAY, UT	ffice*	UINTAH	UT
	16. No. of Acres in Lease	17. Spacing Unit dedicated to	this well
 Distance from proposed location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any) 1731 	·	540.00	
18. Distance from proposed location to nearest well, drilling,	19. Proposed Depth	20. BLM/BIA Bond No. on fi	le
completed, applied for, on this lease, ft. REFER TO TOPO C	6700 MD	BLM WY3457	
21. Elevations (Show whether DF, KB, RT, GL, etc. 5227 GL	22. Approximate date work will start	23. Estimated duration	
	24. Attachments		
The following, completed in accordance with the requirements of	of Onshore Oil and Gas Order No. 1, shall be attach	ed to this form:	1 fla (soc
Well plat certified by a registered surveyor.	4. Bond to cover the o Item 20 above).	perations unless covered by an existing	bond on the (see
 A Drilling Plan. A Surface Use Plan (if the location is on National Forest Syst SUPO shall be filed with the appropriate Forest Service Of 	tem Lands, the 5. Operator certification	on ific information and/or plans as may b	e required by the
25. Signature	Name (Printed/Typed) CHERYL CAMERON Ph: 435.781	.7023	Date 12/03/2001
(Electronic Summission) Title OPERATIONS			
Spraved by (Signature)	Name (Printed/Typed)		02/13/2
Title Missistatic mela Manage Mineral Resources	Office		liant to conduct
Mineral Resources Application approval does not warrant or certify the applicant h	nolds legal or equitable title to those rights in the su	bject lease which would entitle the app	nicant to conduct
operations thereon.		E OF APPROVAL	
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212 States any false, fictitious or fraudulent statements or represent	, make it a crime for any person knowingly and wi ations as to any matter within its jurisdiction.	muny to make to any department of ag	

Additional Operator Remarks (see next page)

Electronic Submission #9574 verified by the BLM Well Information System For EL PASO PRODUCTION O&G COMPANY, sent to the Vernal

FEB 2 1 2002

DEC 1 7 2001 DIVISION OF OIL, GAS AND MINING

** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL **

COAs Page 1 of 3 Well No.: CIGE 268

CONDITIONS OF APPROVAL APPLICATION FOR PERMIT TO DRILL

Company/Operator: <u>EL PASO PRODUCTION OIL & GAS COMPANY</u>
Outsparity, Operation in the second s
Well Name & Number: CIGE 268
API Number: <u>43-047-34412</u>
Lease Number: U-01196-E
Location: NWSE Sec. 08 T. 10S R. 22E
Agreement: Natural Buttes Unit

COAs Page 2 of 3 Well No.: CIGE 268

CONDITIONS OF APPROVAL FOR NOTICE TO DRILL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be aware fire restrictions may be in effect when location is being constructed and/or when well is being drilled. Contact the appropriate Surface Management Agency for information.

A. DRILLING PROGRAM

1. Casing Program and Auxiliary Equipment

As a minimum, the usable water resources shall be isolated and/or protected by having a cement top for the production casing at least 200 ft. above the top of the Green River Formation, identified at 1,472 ft.

COAs Page 3 of 3 Well No.: CIGE 268

CONDITIONS OF APPROVAL FOR THE SURFACE USE PROGRAM OF THE APPLICATION FOR PERMIT TO DRILL

- -The reserve pit topsoil should be piled separate from the location topsoil.
- -When bedding the reserve pit, only felt should be used, not straw.
- -The location topsoil pile will be seeded immediately after the soil is piled by broadcasting the seed, then walking the topsoil pile with the dozer to plant the seed. The seed mix outlined in the APD for final reclamation shall be used.
- -All poundages are in Pure Live Seed.
- -Topsoil will not be used for the construction of tank dikes or any other location seeds. It shall be left in place for use in the final reclamation process.
- -Once the reserve pit is dry, it should be filled, recontoured, topsoil spread, and seeded in the same manner discussed above.



United States Department of the Interior RECEIVED

BUREAU OF LAND MANAGEMENT

下日第 2 2 2002

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155

DIVISION OF OIL. GAS AND MINING

In Reply Refer To: 3106 UTU-25566 et al (UT-924)

FEB 2 1 2002

NOTICE

Westport Oil and Gas Company L.P.

Oil and Gas

410 Seventeenth Street, #2300 Denver Colorado 80215-7093

:

Name Change Recognized

Acceptable evidence has been received in this office concerning the name change of <u>Westport Oil</u> and <u>Gas Company</u>, <u>Inc.</u> into <u>Westport Oil and Gas Company</u>, <u>L.P.</u> with <u>Westport Oil and Gas Company</u>, <u>L.P.</u> being the surviving entity.

For our purposes, the name change is recognized effective December 31, 2001.

The oil and gas lease files identified have been noted as to the name change. The exhibit was compiled from a list of leases obtained from our computer program. We have not abstracted the lease files to determine if the entities affected by this name change hold an interest in the leases identified nor have we attempted to identify leases where the entities are the operator on the ground maintaining no vested recorded title or operating rights interests. We will be notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

If you identify additional leases in which the entities maintain an interest, please contact this office and we will appropriately document those files with a copy of this Notice.

Due to the name change, the name of the principal/obligor on the bond is required to be changed from Westport Oil and Gas Company, Inc. to Westport Oil and Gas Company, L.P.. You may accomplish this either by consent of surety rider on the original bond or a rider to the original bond. The bonds are held in Colorado.

UTU-03405 UTU-20895 UTU-25566 UTU-43156 UTU-49518 UTU-49519 UTU-49522 UTU-49523

> Robert Lopez Chief, Branch of Minerals Adjudication

Moab Field Office
 Vernal Field Office
 MMS, Reference Data Branch, MS3130, PO Box 5860, Denver CO 80217
 State of Utah, DOGM, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC UT 84114
 Teresa Thompson (UT-922)
 Joe Incardine (UT-921)

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING
ENTITY ACTION FORM - FORM 6

CONFIDENTIAL

OPERATOR El Paso Production O&G Company
ADDRESS P.O. Box 1148
Vernal, Utah 84078

OPERATOR ACCT. NO. N 1845

							WOLLE	CATION		SPUD	EFFECTIVE
ACTION	CURRENT	NEW	api number	WELL NAME	aa	sc	TP	RG	COUNTY	DATE	DATE
CODE	ENTITY NO.	ENTITY NO.							Uintah	5/10/2002	5-14-02 - 5/19/20 02
В	99999	2900	43-047-34412	CIGE #268	NWSE	8	105	22E	Officali	341042002	0.20.202
	MALENTS:										
MIRU Ski											
	ell on 5/10/02 a	ıt 8 am.					30014	OCATION		SPUD	EFFECTIVE
ACTION	CURRENT	NEW	API NUMBER	WELL NAME	QQ	SC	TP	T RG T	COUNTY	DATE	DATE
CODE	ENTITY NO.	ENTITY NO.				1 30	 " -	 			
					ļ	1					
WELL 2 C	OMMENTS:	<u></u>	<u> </u>								
							WOLL	OCATION		SPUD	EFFECTIVE
ACTION	CURRENT	NEW	APINUMBER	WELL NAME	QQ	SC	TP	RG	COUNTY	DATE	DATE
CODE	ENTITY NO.	ENTITY NO.			<u> </u>	30	 ''	1 10			
							<u> </u>				
WELL 3 C	OMMENTS:	<u> </u>									
							248-1	LOCATION		SPUID	EFFECTIVE
ACTION	CURRENT	NEW	API NUMBER	WELL NAME	- 20-	SC	TP TP	RG	COUNTY	DATE	DATE
CODE	ENTITY NO.	ENTITY NO.			QQ	1 30	+ "	110			
									<u> </u>		⊥
WELL 4 C	COMMENTS:										
				2000111 21224			WEIL	LOCATION		SPUD	EFFECTIVE
ACTION	CURRENT	NEW	API NUMBER	WELL NAME	QQ	SC	TP	RG	COUNTY	DATE	DATE
CODE	ENTITY NO.	ENTITY NO.				 					
									<u> </u>		
WELL 5	COMMENTS:			i	Date: 1 1	↑7 pap		7			
				Post-It® Fax Note 7671		pag		ᆏ —			
ACTION	CODES (See in	structions on bac	k of form)	10 JIM THAMPSOL	7	ellali	pare	H -	Della.	In hen	`
A	- Establish new	entity for new wel	li (single well only)	Co./Dept DOGM	1 211115	DAIX	uctor	4 <	Signature	W PUR DA	
R	. Add new well t	o existing entity (group or unit well)	Phone (601) 538-533	Phone #	6)78 1	7024	d 10 18	as Car		
C	- Re-assign well	from one existing	g entity to another existir	9 Fax (C) 369-394) Fax # BS	TIET	17.24	BIAI	LU Regulat	ory Analyst	05/13/02
D	- Re-assign well	from one existin	g entity to a new entity	· · · · · · · · · · · · · · · · · · ·			1111/	4.3. AAAA	Tile		Date
Ε	- Other (explain	in comments sec	DON)	use selected			MAY	13 2002			
	Use COMMENT	Section to explain	why each Action Code	and colonies.			D11/20	SION OF	Phone No	(435	781-7024
(3/89)						<u> </u>	DIVE	AND MI	NING		
						וט	L, GAS	MIN ONL	141140		

Form 3160-5 (August 1999)

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

FORM APPROVED
OMB NO. 1004-0135
Expires: November 30, 2000

5. Lease Serial No.

0 (

SUNDRY	NOTICES AND REPOR	RTS ON WELLS		U-00196-E	
Do not use thi abandoned well	6. If Indian, Allottee of	r Tribe Name			
SUBMIT IN TRI	PLICATE - Other instruc	tions on reverse side.		7. If Unit or CA/Agree NATURAL BUT	ement, Name and/or No. TES
Type of Well Oil Well	ner			8. Well Name and No. CIGE 268	
2. Name of Operator EL PASO PRODUCTION 0&0	Contact:	SHEILA UPCHEGO E-Mail: sheila.upchego@EIPaso	.com	9. API Well No. 43-047-34412	
3a. Address P.O. BOX 1148 VERNAL, UT 84078		3b. Phone No. (include area code Ph: 435.781.7024 Fx: 435.789.4436)	10. Field and Pool, or NATURAL BUT	Exploratory TES
4. Location of Well (Footage, Sec., T	., R., M., or Survey Description)		11. County or Parish,	and State
Sec 8 T10S R22E NWSE 173	1FSL 1877FEL			UINTAH COUNTY, UT	
3333					
			NICETOR D	LEDORE OR OTHE	D DATA
12. CHECK APPI	ROPRIATE BOX(ES) TO) INDICATE NATURE OF	NOTICE, R	EPORT, OR OTHE	RDATA
TYPE OF SUBMISSION		ТҮРЕ О	F ACTION		
	☐ Acidize	□ Deepen	☐ Produc	ction (Start/Resume)	■ Water Shut-Off
☐ Notice of Intent	☐ Alter Casing	☐ Fracture Treat ☐ Reclar		nation	Well Integrity
Subsequent Report	☐ Casing Repair	■ New Construction	☐ Recom	plete	Other
☐ Final Abandonment Notice	☐ Change Plans	☐ Change Plans ☐ Plug and Abandon ☐ Tempor		mporarily Abandon Well Spud	
_	Convert to Injection	Plug Back	■ Water	Disposal	
13. Describe Proposed or Completed Op If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A	ally or recomplete horizontally, ork will be performed or provide	the Bond No. on file with BLM/BL	A. Required successions and an arms.	ubsequent reports shall be new interval, a Form 316	e filed within 30 days 50-4 shall be filed once

MIRU SKI AIR RIG. DRILLED 12 1/4" SURFACE HOLE TO 275'.
RAN 8 5/8" 24# J-55 ST&C CSG. CMT W/142 SX CLASS G @15.8 PPG
YIELD 1.17 WATER 5 GAL/SK 2% CACL2 .25#/SK CELLO FLAKE.
DROP TOP PLUG DISP. W/145 BBLS FRESH WATER. BUMP PLUG. CMT TO SURFACE. HOLE STAYED FULL.

SPUD WELL ON 5/10/02 AT 8 AM.

determined that the site is ready for final inspection.)

RECEIVED

MAY 2 1 2002

DIVISION OF OIL, GAS AND MINING

14. I hereby certify that the foregoing is true and correct. Electronic Submission #11302 verified For EL PASO PRODUCTION O&	by the	BLM Well information System PANY, sent to the Vernal			
Name(Printed/Typed) SHEILA UPCHEGO	Title	REGULATORY ANALYST			
Signsture (Electronic Submission)	Date	05/13/2002			
THIS SPACE FOR FEDERA	L OR	STATE OFFICE USE			
	Ti	lo	Date		
	— 	16	1		
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Of	fice			
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any perstates any false, fictitious or fraudulent statements or representations as to any matter w	erson kn ithin its	owingly and willfully to make to any depa jurisdiction.	artment or agency of the United		

Form 3160-5 (August 1999)

UTTIFED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0135
Expires: November 30, 2000

5. Lease Serial No. U-00196-E

008

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals

6. If Indian, Allottee or Tribe Name

abandoned well									
SUBMIT IN TRIP		7. If Unit or CA/Agreement, Name and/or No. NATURAL BUTTES							
. Type of Well		8. Well Name and No. CIGE 268							
Oil Well Gas Well Other		JET A LIDOUECO		9. API Well No.					
Name of Operator EL PASO PRODUCTION O&G		HEILA UPCHEGO Mail: sheila.upchego@ElPa		43-047-34412					
Ba. Address P.O. BOX 1148 VERNAL, UT 84078	i F	8b. Phone No. (include area co Ph: 435.781.7024 Ex: 435.789.4436	ode)	10. Field and Pool, or Exploratory NATURAL BUTTES					
Location of Well (Footage, Sec., T.,		11. County or Parish, and State							
Sec 8 T10S R22E NWSE 1731		UINTAH COUNTY, UT							
12. CHECK APPR	OPRIATE BOX(ES) TO I	NDICATE NATURE O	F NOTICE, REI	PORT, OR OTHE	R DATA				
TYPE OF SUBMISSION		TYPE	OF ACTION						
	☐ Acidize	☐ Deepen	☐ Productio	n (Start/Resume)	■ Water Shut-Off				
☐ Notice of Intent	☐ Alter Casing	☐ Fracture Treat	☐ Reclamat	ion	■ Well Integrity				
Subsequent Report Subsequent Re	☐ Casing Repair	☐ New Construction	☐ Recomple	ete	Other				
☐ Final Abandonment Notice	☐ Change Plans	☐ Plug and Abandon	☐ Temporar	rily Abandon	Drilling Operations				
	Convert to Injection	□ Plug Back	☐ Water Dis	sposal					
testing has been completed. Final Ab determined that the site is ready for final FINISHED DRLG F/275' TO 6'	nandonment Notices shall be filed nal inspection.) 740'. RAN 4 1/2" 11.6# J-5	its in a multiple completion or only after all requirements, in 55 LTC CSG. D79 + .5% D112 + 2% D	recompletion in a ne cluding reclamation,	have been completed,	and the operator has				
testing has been completed. Final Ab determined that the site is ready for fi	vandonment Notices shall be filed nal inspection.) 740'. RAN 4 1/2" 11.6# J-5 2% GEL + 3% SALT + 1% I/G + 10% SALT + 2% GEL BLS H20. BUMP PLUG. H/	its in a multiple completion or only after all requirements, in 55 LTC CSG. D79 + .5% D112 + 2% E . + 2% D46 MIXED @14	recompletion in a ne cluding reclamation, 046 MIXED @11, 3# YIELD 1.31	have been completed,	and the operator has				
testing has been completed. Final Ab determined that the site is ready for fit FINISHED DRLG F/275' TO 6' CMT W/353 SX CLASS G + 1' TAILED W/787 SX 50/50 POZ DROP PLUG. DISP W/104 BE	vandonment Notices shall be filed nal inspection.) 740'. RAN 4 1/2" 11.6# J-5 2% GEL + 3% SALT + 1% I/G + 10% SALT + 2% GEL BLS H20. BUMP PLUG. H/	its in a multiple completion or only after all requirements, in 55 LTC CSG. D79 + .5% D112 + 2% E . + 2% D46 MIXED @14	recompletion in a ne cluding reclamation, 046 MIXED @11, 3# YIELD 1.31	.0# YIEREC	EIVED				
testing has been completed. Final Ab determined that the site is ready for fit FINISHED DRLG F/275' TO 6' CMT W/353 SX CLASS G + 12' TAILED W/787 SX 50/50 POZ DROP PLUG. DISP W/104 BE RELEASED RIG ON 5/26/02 A	andonment Notices shall be filed nal inspection.) 740'. RAN 4 1/2" 11.6# J-5 2% GEL + 3% SALT + 1% /G + 10% SALT + 2% GEL BLS H20. BUMP PLUG. HA AT 0500 HRS.	its in a multiple completion or only after all requirements, in 55 LTC CSG. D79 + .5% D112 + 2% E. + 2% D46 MIXED @14 AD NO RETURNS. CLE	recompletion in a necluding reclamation, 046 MIXED @11. 3# YIELD 1.31 AN PITS Well Information \$	O# YIER ETC JUN OIL, GAS	EIVED 1 3 2002				
testing has been completed. Final Ab determined that the site is ready for fit FINISHED DRLG F/275' TO 6' CMT W/353 SX CLASS G + 12' TAILED W/787 SX 50/50 POZ DROP PLUG. DISP W/104 BE RELEASED RIG ON 5/26/02 A	andonment Notices shall be filed nal inspection.) 740'. RAN 4 1/2" 11.6# J-5 2% GEL + 3% SALT + 1% I/G + 10% SALT + 2% GEL BLS H20. BUMP PLUG. HA AT 0500 HRS.	tts in a multiple completion or only after all requirements, in 55 LTC CSG. D79 + .5% D112 + 2% E. + 2% D46 MIXED @14 AD NO RETURNS. CLE	recompletion in a necluding reclamation, 046 MIXED @11. 3# YIELD 1.31 AN PITS Well Information \$	O# YIER ETC JUN OIL, GAS	EIVED © 3 2002				
testing has been completed. Final Ab determined that the site is ready for fit FINISHED DRLG F/275' TO 6' CMT W/353 SX CLASS G + 12' TAILED W/787 SX 50/50 POZ DROP PLUG. DISP W/104 BE RELEASED RIG ON 5/26/02 A 14. I hereby certify that the foregoing is Name(Printed/Typed) SHEILA U	andonment Notices shall be filed nal inspection.) 740'. RAN 4 1/2" 11.6# J-5 2% GEL + 3% SALT + 1% I/G + 10% SALT + 2% GEL BLS H20. BUMP PLUG. HA AT 0500 HRS.	tts in a multiple completion or only after all requirements, in 55 LTC CSG. D79 + .5% D112 + 2% E. + 2% D46 MIXED @14 AD NO RETURNS. CLE	vell information sent to the Verna	O# YIER ETC JUN OIL, GAS	EIVED © 3 2002				
testing has been completed. Final Ab determined that the site is ready for fit FINISHED DRLG F/275' TO 6' CMT W/353 SX CLASS G + 1' TAILED W/787 SX 50/50 POZ DROP PLUG. DISP W/104 BE RELEASED RIG ON 5/26/02 A 14. I hereby certify that the foregoing is Name(Printed/Typed) SHEILA U	andonment Notices shall be filed nal inspection.) 740'. RAN 4 1/2" 11.6# J-52% GEL + 3% SALT + 1% I/G + 10% SALT + 2% GEL BLS H20. BUMP PLUG. H/AT 0500 HRS. Strue and correct. Electronic Submission #1 For EL PASO PROD	tts in a multiple completion or only after all requirements, in 55 LTC CSG. D79 + .5% D112 + 2% E. + 2% D46 MIXED @14 AD NO RETURNS. CLE	Well Information Sent to the Verna	O# YIER ETC JUN OIL, GAS	EIVED © 3 2002				
testing has been completed. Final Ab determined that the site is ready for fit FINISHED DRLG F/275' TO 6' CMT W/353 SX CLASS G + 1' TAILED W/787 SX 50/50 POZ DROP PLUG. DISP W/104 BE RELEASED RIG ON 5/26/02 A SELEASED RIG ON 5/26/02 A SIgnature Signature SHEILA U	andonment Notices shall be filed nal inspection.) 740'. RAN 4 1/2" 11.6# J-52% GEL + 3% SALT + 1% I/G + 10% SALT + 2% GEL BLS H20. BUMP PLUG. H/AT 0500 HRS. Strue and correct. Electronic Submission #1 For EL PASO PROD	tts in a multiple completion or only after all requirements, in 55 LTC CSG. D79 + .5% D112 + 2% E. + 2% D46 MIXED @14 AD NO RETURNS. CLE 1553 verified by the BLM UCTION 0&G COMPANY, Title REC Date 05/2	Well Information Sent to the Verna	O# YIER ETC JUN OIL, GAS	EIVED 1 3 2002				
testing has been completed. Final Ab determined that the site is ready for fit FINISHED DRLG F/275' TO 6' CMT W/353 SX CLASS G + 1' TAILED W/787 SX 50/50 POZ DROP PLUG. DISP W/104 BE RELEASED RIG ON 5/26/02 A 14. I hereby certify that the foregoing is Name(Printed/Typed) SHEILA U	andonment Notices shall be filed nal inspection.) 740'. RAN 4 1/2" 11.6# J-5 2% GEL + 3% SALT + 1% /G + 10% SALT + 2% GEL BLS H20. BUMP PLUG. HAT 0500 HRS. Strue and correct. Electronic Submission #1 For EL PASO PRODI	tts in a multiple completion or only after all requirements, in 55 LTC CSG. D79 + .5% D112 + 2% E. + 2% D46 MIXED @14 AD NO RETURNS. CLE 1553 verified by the BLM UCTION 0&G COMPANY, Title REC Date 05/2 R FEDERAL OR STA	Well Information Sent to the Verna	O# YIER ETC JUN OIL, GAS System ALYST	EIVED 1 3 2002				

Form 3160-5 (August 1999)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

CONFIDENTIAL	
E	n

SUNDRY Do not use thi abandoned wel	U-00196-E 6. If Indian, Allottee or Tribe Name								
SUBMIT IN TRI		7. If Unit or CA/Agreement, Name and/or No. NATURAL BUTTES							
Type of Well ☐ Oil Well ☐ Oth Gas Well ☐ Oth		8. Well Name and No. CIGE 268							
Name of Operator EL PASO PRODUCTION 0&0	Contact: S	EGO chego@ElPaso.	.com	9. API Well No. 43-047-34412					
3a. Address P.O. BOX 1148 VERNAL, UT 84078		3b. Phone No. (i Ph: 435.781. Fx: 435.789.4	1436						
4. Location of Well (Footage, Sec., T	., R., M., or Survey Description)				11. County or Parish	n, and State			
Sec 8 T10S R22E NWSE 173	1FSL 1877FEL				UINTAH COU	NTY, UT			
12. CHECK APPI	ROPRIATE BOX(ES) TO	INDICATE N	ATURE OF	NOTICE, RE	PORT, OR OTH	ER DATA			
TYPE OF SUBMISSION			TYPE O	F ACTION					
Notice of Intent	☐ Acidize	□ Deepe	n	□ Producti	on (Start/Resume)	■ Water Shut-Off			
☐ Notice of Intent	☐ Alter Casing	☐ Fractu	re Treat	☐ Reclama	tion	■ Well Integrity			
Subsequent Report	□ Casing Repair	□ New C	Construction	☐ Recomp		☑ Other Production Start-up			
☐ Final Abandonment Notice	☐ Change Plans	🗖 Plug a	nd Abandon	□ Tempora	rily Abandon	1 Todaction Start up			
	☐ Convert to Injection	🗖 Plug E		☐ Water D	Disposal proposed work and approximate duration thereof.				
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for f	d operations. If the operation rest bandonment Notices shall be file final inspection.)	ed only after all rec	quirements, inclu						
THE SUBJECT WELL WAS F									
THE PRODUCED WATER FI ONE OF THE PRE-APPROV 35-T9S-R21E, ACE OILFIELD APPROVED APD.	EU DIGDUCAL CLIES, BI	NI IN SECTION	V コートメコーロノノロ	. ושטט # וטשוו	AS STATED IN T	HE			
PLEASE REFER TO THE AT	TACHED CHRONOLOGIC	CAL WELL HIS	STORY.		AECE	WED			
					JUL 0 1	2002			
					DIVISION	V 0;=			
14. I hereby certify that the foregoing i	s true and correct. Electronic Submission # For EL PASO PRO	12250 verified I	oy the BLM We COMPANY, se	ell Information ent to the Verr	System	MINING			
Name(Printed/Typed) SHEILA	UPCHEGO_		Title REGU	LATORY AN	ALYST				
Signature (Electronic	Market Submission		Date 06/24 /	2002					
	THIS SPACE FO	OR FEDERAL	OR STATE	OFFICE U	SE				
			mu		Dat	•			
_Approved By			_ Title		Dav	·			
Conditions of approval, if any, are attach certify that the applicant holds legal or ea which would entitle the applicant to cond	quitable title to those rights in the duct operations thereon.	Office							
Title 18 U.S.C. Section 1001 and Title 4. States any false, fictitious or fraudulen	3 U.S.C. Section 1212, make it at statements or representations as	crime for any per to any matter wit	son knowingly ar hin its jurisdictio	nd willfully to m n.	ake to any departmen	t or agency of the United			

EL PASO PRODUCTION REPORT

CHRONOLOGICAL HISTORY

CIGE 268

NBU FIELD

UINTAH COUNTY, UT

WI: 100%

PBTD:

PERFS:

CSG:

SPUD DATE:

AFE DESCR., AFE: 060920

FORMATION: CWC(M\$):

DRILLING REPORT:

DRILLING REPORT:	NBU, Uintah, UT SD: 5/19/02	Rig: El Paso 2 Wasatch @ 4,370	WI: 100% AFE: 06 8 5/8" @ 280'	0920 ATD: 6,700'
5/20/02	TD: 2,295	MW: 8.4	1,888'/23 hrs	Drilling to present depth.
5/21/02	TD: 3,678	MW: 8.4	1,383'/23.5 hrs	Drilling to present depth.
5/22/02	TD: 4,841	MW: Air/Water	1,163'/23.5 hrs	Drilling to present depth.
5/23/02	TD: 5,661	MW: Air/Water	820'/23.5 hrs	Drilling to present depth.
5/24/02	TD: 6,303	MW: Air/Water	642'/23.5 hrs	Drilling to present depth.
5/28/02	TD: 6,740	MW: 8.4	Repair Rig	
5/29/02	TD: 6,740	MW: 8.4	Repair Rig	
5/30/02	TD: 6,740	MW: 8.4	Repair Rig	
5/31/02	TD: 6,740	MW: 8.4	Repair Rig	

AFE DESC. DRILL & COMPLETE, AFE #: 060920

WI: 100%

PBTD: 6,692' PERFS:

CSG: 4 1/2", 11.6#, J-55, LT&C @ 6,740'

FORMATION: WASATCH

6/10/02

PREP TO PERF

6/8/02: MIRU. NUBOPE. PU & SIH W/3 7/8" BIT. EOT @ 5797'.

6/11/02

PREP TO FRAC

RIH & TAG PBTD @ 6691'. CIRC HOLE CLEAN. TST 4 ½" CSG TO 5000#. HELD. UNABLE TO GET PRESS TST ON 4 ½" X 8 5/8" ANNULUS. PERF WASATCH 6254'-6264', 3 SPF, 30 HOLES. BRK DN PERFS W/3200# @ ½ BPM, ISIP: 750#, FG: 0.55.

Page 1

6/12/02

PREP TO DO PLUGS

STAGE 1: BRK DN WASATCH 6254'-64', 3 SPF, 3200# @ ½ BPM. ISIP: 750#, FG: .55. FRAC W/491 BBLS YF113ST & 45,000# 20/40 SD. ISIP: 1850#, FG: .73. ATP: 2435#, MTP: 3195#, ATR: 23.3 BPM, MTR: 25.8 BPM, NPI: 1100#. RIH. SET 5K CBP @ 6200'.

STAGE 2: PERF WASATCH @ 6164'-66', 4 SPF, 8 HOLES & 6100'-10', 3 SPF, 30 HOLES. BRK DN WASATCH 2399# @ 1.5 BPM. ISIP: 1385#, FG: .66. FRAC W/726 BBLS YF113ST & 66,200# 20/40 SD. ISIP: 1826#, FG: .73, ATP: 2929#, MTP: 3795#, ATR: 39.8 BPM, MTR: 41.3 BPM. NPI: 441#. RIH. SET 5K CBP @ 5200'.

STAGE 3: PERF WASATCH 5122'-32', 3 SPF, 30 HOLES. BRK DN @ 2803# @ 1.5 BPM, ISIP: 1450#, FG: .72. FRAC W/855 BBLS YF113ST & 90,500# 20/40 SD. ISIP: 2042#, FG: .83, ATP: 2500#, MTP: 2750#, ATR: 32.1 BPM, MTR: 36.6 BPM, NPI: 592#. RIH. SET 5K CBP @ 5060'.

STAGE 4: PERF WASATCH 5004'-14', 3 SPF, 30 HOLES. BRK DN @ 2687# @ 1.6 BPM. ISIP: 1191#, FG: .67. FRAC W/758 BBLS YF113ST & 82,160# 20/40 SD. ISIP: 2220#, FG: .88, ATP: 2056#, MTP: 2687#, ATR: 25.1 BPM, MTR: 31.8 BPM, NPI: 1029#. RIH. SET 5K CBP @ 4820'. TLTR: 2830 BBLS, TOTAL SD: 283,860#. SIH W/3 7/8" BIT. EOT @ 4764'.

6/13/02

FLOW BACK LOAD

DO CBP'S @ 4820', 5060', 5200', AND 6200'. CO TO PBTD W/AIR FOAM. PU & LAND TBG @ 6190', SN @ 6158'. OPEN WELL TO PIT ON 64/64" CHK FOR 2 HRS THEN SWITCHED TO 24/64" CHK. CP: 1350# TO 1420#, FTP: 500# TO 825#, 120 BWPH TO 10 BWPH, GAS EST: 2000 MCFPD. TLTR: 3024 BBLS, TLR: 1291 BBLS, LLTR: 1733 BBS.

6/14/02

SI WO FACILITIES

FLOW BACK 24 HRS ON 24/64" CHK. CP: 1380# TO 1190#, FTP: 920# TO 800#, 10 BWPH TO 2 BWPH, NO SD, EST GAS RATE: 1800 MCFPD, TLTR: 3024 BBLS, TLR: 1436 BBLS, LLTR: 1588 BBLS.

6/17/02

SI WO FACILITIES.

6/18/02

SI WO FACILITIES.

6/19/02

SI WO FACILITIES.

6/20/02

ON SALES

PLACE ON SALES @ 11:35 AM, 6/19/02. SPOT PROD DATA: 14/64" CHK, FTP: 751#. CP: 1851#, 15 BWPH, 2552 MCFPD.

6/21/02

ON SALES

1442 MCFD, 0 BC, 100 BW, FTP: 1425#, SICP: 1603#, 14/64" CHK, 24 HRS, LP: 137#, TLTR: 3024 BBLS, TLR: 1536 BBLS, LLTR: 1488 BBLS.

6/24/02

ON SALES

6/22/02: FLWD 1920 MCF, 85 BW, FTP: 1225#, CP: 1519# 14/64" CHK, 24 HRS, LP: 136#

6/23/02: FLWD 2291 MCF, 68 BW, FTP: 1110#, CP: 1362#, 34/64" CHK, 24 HRS, LP: 150#

6/24/02: FLWD 2379 MCF, 60 BW, FTP: 1050#, CP: 1297#, 34/64" CHK, 24 HRS, LP: 150#.

TLTR: 3024 BBLS, TLR: 1749 BBLS, LLTR: 1275 BBLS.

Form: 3160-4 (August 1999)

010

UN'TED STATES
DEPARTME__ OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0137

Expires: November 30, 2000

U-01196-E

5. Lease Serial No. WELL COMPLETION OR RECOMPLETION REPORT AND LOG

		7	-11	Ø €		T1 N=-	٥٠٠	or.	<u> </u>				6.	If Inc	lian, Allottee	or Tr	ibe Name	
la. Type of		Oil W		☑ Gas		Dry	Oth		<u>П</u> . ».	.a Doole	Diff.	Resvr.						
b. Type of	completion	1:	_	New	U ∨	Vork Over	U	Deepen	LI Pit	ig Back	טווו.	ICSVI.	7.	Unit	or CA Agree	ment	Name and No.	
			Othe	er						IDEM	TIAL		1		Natural B	uttes	Unit	
2. Name of	Operator								W	IUEN			8.	Leas	e Name and	Well N	۷o٠	
El Paso I	Producti	on Oil 8	، Ga	s Com	any								1		CIG	E 268	3	
3. Address								4 25.00	3a. Pho	one No. (jņ	clude area	code)	9.	API	Well No.		· · · · · · · · · · · · · · · · ·	_
P.O. Box	1148 V	ernal L	JT 8	4078				20	1		81-702				43-047	-344	12	
4. Location	of Well (R	eport loca	tions	clearly an	d in ac	cordance wi	th Fe	deral requ	uirement	(s)*			10	Fiel	d and Pool, o			—
	,	•						1	Sec.			į	10	. Pich	Natural			
At surface				NWSE	1731	FSL & 1	8//	FEL		PERIC		į	 	Sec	, T., R., M.,			
At top prod	interval re	norted hel	οw					ď		EXPIR		ļ	,	Sur	vey or Area	Sec	. 8, T10S, R2	2E
At top prod	. micivai ic	ported be							· N.	2-13	-0_3		12	. Cou	nty or Parish		13. State	е
At total dep	th							1							Uintah		UT	
14. Date Sp				15. Date	T.D. Re	eached		Mar. 1	16 Dai	Complete	8dermar Am	Dead		. Elev	vations (DF,			
-	05/10/0	12	1		()5/27/02			ע ו	D&A	13/02	ly to Prod			522	7' Gl	-	
				-		ug Back T.I) ·)	MD	6691		13/02	20. Dept	h Brid	ge Plu	g Set: MD			
18. Total D		D /D	674	io.	19. PI	ug Back 1.1		rvd (• 009			20. Dop.		G	TVD			
21 Type F			anica	l Logs Ru	n (Subi	mit copy of					22. Was	well core	d? 🔀	No	Yes (S		•	
					(- 4-1	14-0	2				DST run?			Yes (S			
CBL-GR	-CCI/	OST-C	W.	LAC	, "	DSI-C	N-	GR			Dire	ctional Su	rvey?	N IX	o 🔲 Ye	s (Sub	mit copy)	
23. Casing	and Liner	Record (A	enor	t all string														
			·			Bottom (M	(D)	Stage Ce	menter		Sks. &	Slurry \	- 1	Ce	ment Top*	1	Amount Pulled	i
Hole Size	Size/Grade	Wt. (#/	π.)	Top (l	VID)	Bottom (IV	10)	Dep			Cement	(BBI	.)			+-		
12 1/4		35 24#		0		269		26			Class G					-		
7 7/8	4 1/2	11.6	#	0		6740	\dashv	674	10	353 sx Class G				<u> </u>		+-		
										787 sx 5	0/50 Po					╫		
	<u> </u>					<u> </u>				<u></u>		L						
24. Tubing		. (2.45)	D	Danah	(MD)	Size		Depth Se	t (MD)	Packer De	epth (MD)	S	ze		Depth Set (N	(D)	Packer Set (M	1D)
Size	Depth S	et (MD)	Paci	cer Depth	(MD)	3126	\dashv	Deptil Sc	it (IVID)	T delter D	opus (1.12.)				6190			
			<u> </u>		-+		_					1						
25. Produc	ing Interva	ls						26. Perf	oration I	Record								
25. 110000	Formation			To	р	Bottom	1	Pe	rforated	Interval		Size		No. Ho	oles	Pe	erf. Status	
	WASAT			500		6264		:	5004-	5014		3		30				
	111 (0) (1								5122-5	5132		3		30				
									6100-6	3110		3	_	30				
									6164-6	3166		_4	ֈ_	8				
									<u>6254-</u>	62 64		3	_	30				
											_			akir. Ma	****	-	Andrew of Antonia	
													بــــــــــــــــــــــــــــــــــــــ	HE	CE	₩	FA-	
27. Acid,			Ceme	nt Squeez	e, Etc.						1	3.6.4. 7-1				- *		
	Depth Inte									Amount a	nd type of	Material			JUL 29	200	2	
5004-5014 Frac w/ 82,160# 20/40 sand										JUL ZJ	<u> </u>	<u> </u>	_					
5122-5132 Frac w/ 90,500# 20/40 sand							<u></u>			DIVISIO	V C							
6100-6166 Frac w/ 66,200# 20/40 sand							1	247	70:5			Mide						
6254-6264 Frac w/ 45,000# 20/40 sand									H				_					
													١f		HEH		IHL	
													4.	-			-00-000)-	
				L														
28. Produ			Test	loi		Gas	Wate	:r	Oil Gra	avity	Gas		Pro	duction	Method			
Date First Produced	Test Date	Hours Tested		luction BE		MCF	BBL		Соп. А	-	Gravity							
	06/23/0		-	→ ¯	0	2,379		60							Fl	owin	9	
Choke	Tbg. Press.	 	24 I			Gas	Wate		Oil Gra		Well Stat	us						
Size	Flwg.	Press.	Rate	BI	BL O	MCF 2379	BBL	60	Соп. А	WI.				Pr	oducing			
34/64	$l_{\rm SI}$ 105		二		0_	2318												
28a. Prod	uction - Int	erval B																

 1		٦,	N		خ.
ş	1	11	м	7	
1		1 I~	- 51	5	

										
	duction - Inte	rval C					long :	loc	Production Method	
Date First		Hours	Test	Oil	Gas	Water	Oil Gravity Corr. API	Gas Gravity	Froduction Method	
Produced	Date	Tested	Production	BBL	MCF	BBL	Corr. API			
		<u> </u>	\rightarrow			1,17	C 02	Well Status	<u> </u>	
Choke	Tbg. Press.	Csg.	24 Hr.	Oil BBL	Gas MCF	Water BBL	Gas : Oil Ratio	Well Status		
Size	Flwg. SI	Press.	Rate	DBL	IVICI.	1555	[****	ŀ		
	1	<u> </u>		<u> </u>						
	duction - Inte		T	Ioa	Gen	Water	Oil Gravity	Gas Gravity	Production Method	
Date First Produced	Test	Hours Tested	Test Production	Oil BBL	Gas MCF	BBL	Corr. API	Gas Glavity	11044444	
Produced	Date	Tested		1000	1			-		
	The Desce	Csg.	24 Hr.	Oil	Gas	Water	Gas : Oil	Well Status	<u></u>	
Choke Size	Tbg. Press. Flwg.	Press.	Rate	BBL	MCF	BBL	Ratio			
Size	SI		\rightarrow							
20 Disn	osition of Ga	s (Sold, use	d for fuel, v	ented, etc.)						
	Used For		 ,, .	,						
30 Sum	mary of Poro	us Zones (I	nclude Aqu	ifers):				31. Formatio	on (Log) Markers	
	•							İ		
Shov	v all importai	nt zones of	porosity and	l contents th	ereof: Core	d intervals an	d all drill-stem	-		
		epth interva	l tested, cus	hion used, ti	me tool oper	n, Howing and	shut-in pressures	1		
and i	recoveries.									
		Τ	T	1					Name	Тор
Fo	rmation	Тор	Bottom		Descrip	tions, Content	s, etc.		Name	Meas. Depth
Green	River	1,250	4,387	·		•				
Wasat		4,387						1		
vvasat	OI I	1,,55.							•	
								1		1
			1							
		1								
				}				-		
			İ	ł	,					
		İ						ĺ		
			İ	1				İ		
										ļ
			1							
										į
			1							
								ł		
		1	<u> </u>			<u> · ·</u>				
32. Add	litional remar	ks (include	plugging p	rocedure):					_	•
									RECE	113/1
										IVED
									JUL 29	2002
									- ~ 2 3	LUUZ
									DIVISIO	N OF
	cle enclosed a								4. Directional sales	D Minner
1. I	Electrical/Me	chanical Lo	gs (1 full se	et req'd.)		. Geologic Re	•	ST Report	4. Directionar Surve	MINING
5. 8	Sundry Notice	e for pluggi	ng and cem	ent verificat	ion 5.	. Core Analys	is 7. O	iner:		
										netmotions)*
36. I her	eby certify th	nat the foreg	going and at	ttached infor	mation is co	mplete and cor	rrect as determined	from all availab	le records (see attached i	nstructions)*
							,	• .	•	•
	. 1	. Cher	vl Came	ron			Title	Operatio	ns	10 11
Nam	ne (please pri	nt) <u>Onel</u>	yı Carrie							
		0	(X)	/			_	40 101 00	2	
Sign	nafure	Mu	- 14	Ceme	<u> </u>		Date _	19-Jul-02		
			1		1010			and willfully to	make to any department	or agency of the United
Title 18	U.S.C. Section	n 1001 and	Title 43 U.S	S.C. Section	1212, make it	a crime for an	y person knowingly	iction	make to any department	
States at	ny false, ficti	tious or fra	udulent stat	tements or re	presentation	s as to any ma	tter within its jurise	nction.		

UNITED STATES GOVERNMENT

memorand

Uintah & Ouray Agency

Date:

5 December, 2002

Reply to Attn of:

Supervisory Petroleum Engineer

Subject

Modification of Utah Division of Oil, Gas and Mining Regulations

To:

Director, Utah Division of Oil, Gas and Mining Division: John Baza

We have been advised of changes occurring with the operation of your database for Change of Operator. You will be modifying your records to reflect Change of Operator once you have received all necessary documentation from the companies involved, and perhaps in advance of our Notice of Concurrence/Approval of Change of Operator where Indian leases are involved.

We have no objection.

With further comment to Rulemaking, I wish to comment concerning the provision of Exhibits for upcoming Hearings. I would like to see the Uintah & Ouray Agency, BIA, and the Ute Indian Tribe, Energy & Mineral Resources Department added to the list of those parties that receive advance Exhibits so as to allow us to have research time prior to Hearing dates. We will be able to provide a more informed recommendation to the Oil, Gas and Mining Board. It would be best if we would receive only those Exhibits that concern Indian lands, specifically on or adjacent to Indian lands. This may be a difficult situation to attain, as it is not always clear where 'on or adjacent' occurs.

I am aware that you have gone to extra effort to correct this matter already, and I fully appreciate it. My request is intended only to allow the addition of Uintah & Ouray Agency and Ute Indian Tribe to the official listing.

We appreciate you concern, and hope that these comments are timely enough for consideration in the revision process. Charles H Cameron

CC:

Minerals & Mining Section of RES

Ute Energy & Mineral Resources Department: Executive Director

chrono



BUREAU OF INDIAN AFFAIRS
Washington, D.C. 20240
FEB 1 0 2003

Carroll A. Wilson Principal Landman Westport Oil and Gas Company, L.P. 1368 South 1200 East Vernal, Utah 84078

Dear Mr. Wilson:

This is in response to your request for approval of RLI Insurance Company's Nationwide Oil and Gas Lease Bond No. RLB0005239 executed effective December 17, 2002, (\$150,000 coverage) with Westport Oil and Gas Company, L. P., as principal.

This bond is hereby approved as of the date of this correspondence and will be retained in the Bureau of Indian Affairs' Division of Real Estate Services, 1849 C Street, NW, MS-4512-MIB, Washington, D.C. 20240. All Bureau oil and gas regional offices and the surety are being informed of this action.

In cases where you have existing individual and/or collective bonds on file with one or more of our regional offices, you may now request those offices, directly, to terminate in lieu of coverage under this Nationwide Bond.

Enclosed is a copy of the approved bond for your files. If we may be of further assistance in this matter, please advise.

Sincerely,

Director, Office of Trust Responsibilities

Terry & Driver

ACTING

Enclosure

STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES	E LEASE DESIGNATION AND SECTIAL NUMBER
DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER:
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT or CA AGREEMENT NAME:
1 TYPE OF WELL OIL WELL GAS WELL OTHER	8. WELL NAME and NUMBER: Exhibit "A"
2. NAME OF OPERATOR:	9. API NUMBER:
El Paso Production Oil & Gas Company 3. ADDRESS OF OPERATOR: PHONE NUMBER:	10. FIELD AND POOL, OR WILDCAT:
9 Greenway Plaza GER Houston STATE TX 2 77064-0995 (832) 676-5933	
4. LOCATION OF WELL	COUNTY:
FOOTAGES AT SURFACE:	COUNTY
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:	STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPO	ORT, OR OTHER DATA
TYPE OF SUBMISSION TYPE OF ACTION	DEDECTORATE CURRENT FORMATION
NOTICE OF INTENT (Submit in Dunlicate) A LER CASING FRACTURE TREAT	REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WELL
(Submit in Duplicate) ALTER CASING FRACTURE TREAT Approximate date work will start: CASING REPAIR NEW CONSTRUCTION	TEMPORARILY ABANDON
CHANGE TO PREVIOUS PLANS OPERATOR CHANGE	TUBING REPAIR
CHANGE TUBING PLUG AND ABANDON	VENT OR FLARE
SUBSEQUENT REPORT CHANGE WELL NAME PLUG BACK	WATER DISPOSAL .
(Submit Original Form Only) CHANGE WELL STATUS PRODUCTION (START/RESUME)	WATER SHUT-OFF
Date of work completion: COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE	OTHER:
CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION	N
DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volu- Operator change to Westport Oil and Gas Company, L.P., 1670 Broadway, Suite 2 effective December 17, 2002.	
BOND #	
State Surety Bond No. RLB0005236 Fee Bond No. RLB0005238	
ree Bond No. Ribocoste	RECEIVED
EL PASO PRODUCTION OIL & GAS COMPANY	FEB 2 8 2003
	DIV. OF OIL. GAS & MINING
By:	
WESTPORT OIL AND GAS COMPANY, L.P. David R. Dix Agent and Atto	rney-in-Fact
NAME (PLEASE PRINT)	2
SIGNATURE DATEDATEDATEDATE	L

(This space for State use only)



BUREAU OF LAND MANAGEMENT

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155

IN REPLY REFER TO UT-922

February 27, 2003

Westport Oil and Gas Company, L.P. Attn: Gary D. Williamson 1670 Broadway, Suite 2800 Denver, Colorado 80202

Re:

Natural Buttes Unit

Uintah County, Utah

Gentlemen:

On February 27, 2003, we received an indenture dated December 17, 2002, whereby El Paso Production Oil & Gas Company resigned as Unit Operator and Westport Oil and Gas Company, L.P., was designated as Successor Unit Operator for the Natural Buttes Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective February 27, 2003. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Natural Buttes Unit Agreement.

Your nationwide (Colorado) oil and gas bond No. 1203 will be used to cover all operations within the Natural Buttes Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks Chief, Branch of Fluid Minerals

Enclosure

bcc:

Field Manager - Vernal (w/enclosure)

SITLA

Division of Oil, Gas & Mining Minerals Adjudication Group

File - Natural Buttes Unit (w/enclosure)

Agr. Sec. Chron Fluid Chron

UT922:TAThompson:tt:02/27/2003

RECEIVED

FEB 2 8 2003

DIV. OF OIL. GAS & MINING

March 4, 2003 THIS SPACE FOR FEDERAL OR STATE USE

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any

Date

mature

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject leave which would entitle the applicant to conduct operations thereon.

false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Approved by

(Instructions on reverse)

· OPERATOR CHANGE WORKSHEET

011

X Change of Operator (Well Sold)

Is the new operator registered in the State of Utah:

5. If NO, the operator was contacted contacted on:

1. GLH 2. CDW 3. FILE

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed below has changed, e	ffective:	12-17-02				
FROM: (Old Operator):		TO: (New Op	erator):			
EL PASO PRODUCTION OIL & GAS COMPANY		WESTPORT C	IL & GAS	COMPANY	LP	
Address: 9 GREENWAY PLAZA		Address: P O B	OX 1148			
HOUSTON, TX 77064-0995		VERNAL, UT	84078			
Phone: 1-(832)-676-5933		Phone: 1-(435)				
Account No. N1845		Account No.				
CA No.		Unit:	NATURA	L BUTTES		
WELL(S)						
	SEC TWN	API NO	ENTITY		WELL	WELL
NAME	RNG		NO	TYPE	TYPE	STATUS
NBU 344			2900	FEDERAL		P
CIGE 268		43-047-34412		FEDERAL		P
NBU CIGE 15-8-10-22		43-047-30490		FEDERAL		PA
CIGE 249		43-047-34023		FEDERAL		APD
NBU 291		43-047-32911		FEDERAL		P
NBU 292	09-10S-22E	43-047-33474	2900	FEDERAL		P
UTE TRAIL U 83X-9H	09-10S-22E	43-047-15388	2900	FEDERAL	GW	P
NBU CIGE 14-9-10-22	09-10S-22E	43-047-30484	2900	FEDERAL	GW	S
NBU 152	09-10S-22E	43-047-31990	2900	FEDERAL	GW	P
NBU 151	09-10S-22E	43-047-31991	2900	FEDERAL	GW	P
NBU 150	09-10S-22E	43-047-31992	2900	FEDERAL	GW	S
NBU 204	09-10S-22E	43-047-32342	2900	FEDERAL	GW	P
NBU 205	09-10S-22E	43-047-32344	2900	FEDERAL	GW	PA
NBU 188	10-10S-22E	43-047-32234	2900	FEDERAL	GW	S
NBU 207	10-10S-22E	43-047-32329	2900	STATE	GW	P
NBU 210	10-10S-22E	43-047-32340	2900	FEDERAL		P
NBU 206	10-10S-22E	43-047-32341	2900	FEDERAL	GW	P
NBU 231	10-10S-22E	43-047-32561	2900	FEDERAL	GW	P
NBU 117	10-10S-22E	43-047-31914	2900	FEDERAL	GW	P
NBU 142	10-10S-22E	43-047-32013	2900	FEDERAL	GW	P
OPERATOR CHANGES DOCUMENTATION Enter date after each listed item is completed 1. (R649-8-10) Sundry or legal documentation was received for the second sec			on: 03/04/200	02/28/2003	<u>1</u>	
3. The new company has been checked through the Departm	ent of Comn	erce, Division	of Corpora	tions Datab	ase on:	03/06/2003

YES

Business Number:

1355743-0181

6. (R649-9-2) Waste Management Plan has been received on:	IN PLACE	
7.	Federal and Indian Lease Wells: The BLM and or operator change for all wells listed on Federal or Indian		
8.	Federal and Indian Units: The BLM or BIA has approved the successor of unit op	erator for wells listed on:	02/27/2003
9.	Federal and Indian Communization Agreem The BLM or BIA has approved the operator for all well	•	N/A
10.	Underground Injection Control ("UIC") for the enhanced/secondary recovery unit/project for the		On: N/A
DA	TA ENTRY:		
1.	Changes entered in the Oil and Gas Database on:	03/24/2003	
2.	Changes have been entered on the Monthly Operator Ch	nange Spread Sheet on:	03/24/2003
3.	Bond information entered in RBDMS on:	N/A	
4.	Fee wells attached to bond in RBDMS on:	N/A	
ST	ATE WELL(S) BOND VERIFICATION:		
1.	State well(s) covered by Bond Number:	RLB 0005236	
FE	DERAL WELL(S) BOND VERIFICATION:		
1.	Federal well(s) covered by Bond Number:	158626364	
IN	DIAN WELL(S) BOND VERIFICATION:		
1.	Indian well(s) covered by Bond Number:	RLB 0005239	
FE	E WELL(S) BOND VERIFICATION:		
1.	(R649-3-1) The NEW operator of any fee well(s) listed co	overed by Bond Number	RLB 0005238
	The FORMER operator has requested a release of liability The Division sent response by letter on:	from their bond on: N/A	N/A
3. (ASE INTEREST OWNER NOTIFICATION (R649-2-10) The FORMER operator of the fee wells has been their responsibility to notify all interest owners of this classical contents.	peen contacted and informed	by a letter from the Division
	MMENTS:		

Form 3160-5 (August 1999)

TP TED STATES DEPARTA . OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

FORM APPROVED OMB No. 1004-0135 Expires Jnovember 30, 2000

Multiple Wells - see attached

5. Lease Serial No.

SUNDRY NOTICES AND REPORTS ON WELLS

0 1 2 Do not use the abandoned well	6. If Indian, Allo	ttee or Tribe Name			
SUBMIT IN TRIPL	ICATE – Other instru	ctions on revers	e side	7. If Unit or CA/. 891008900A	Agreement, Name and/or No.
1. Type of Well		· · · · · · · · · · · · · · · · · · ·		1	
Oil Well 🗶 Gas Well	Other			8. Well Name an	d No.
2. Name of Operator				Multiple Wells	- see attached
WESTPORT OIL & GAS COM	IPANY, L.P.			9. API Well No.	
3a. Address		3b. Phone No. (include	e area code)	Multiple Wells	- see attached
P.O. BOX 1148 VERNAL, UT		(435) 781-		10. Field and Pool	, or Exploratory Area
4. Location of Well (Footage, Sec., T.,	R., M., or Survey Description)			Natural Buttes	Unit
Multiple Wells - see attached				11. County or Pari	sh, State
	43.0	47.3441	2	Uintah County	, UT
12. CHECK A	APPROPRIATE BOX(ES) TO	INDICATE NATURE	OF NOTICE, RE	PORT, OR OTHE	R DATA
TYPE OF SUBMISSION		TY	PE OF ACTION	,	
Notice of Intent	Acidize	Deepen Deepen	=	(Start/Resume)	Water Shut-Off
Subsequent Report	Alter Casing Casing Repair	Fracture Treat New Construction	Reclamation Recomplete	<u> </u>	Well Integrity Other
Final Abandonment Notice	Change Plans Convert to Injection	Plug and Abandon Plug Back	Temporarily Water Dispo		
13. Describe Proposed or Completed Oper If the proposal is to deepen directions Attach the Bond under which the wor following completion of the involved testing has been completed. Final Al determined that the site is ready for fin	ally or recomplete horizontally, gi the will be performed or provide to operations. If the operation resul- bandonment Notices shall be file	ve subsurface locations and the Bond No. on file with its in a multiple completion	d measured and tru BLM/BIA. Requirence or recompletion is	e vertical depths of a red subsequent report in a new interval, a l	all pertinent markers and zones. ts shall be filed within 30 days form 3160-4 shall be filed once
Westport Oil & Gas requests a variance	e to Onshore Order No. 4, Par	t IIIC.a. requiring each s	ales tank be equi	pped	
with a pressure-vacuum thief hatch an					f the shrunk
condensate will not payout the increme					
The volume lost to shrinkage by dropp	ing the tank pressure from 6 o	ze to O neia ie ehown to	he 0.3% of the to	ink volume. This w	as datarminad by lab analysis

of a representative sample from the field. The sample shrunk from 98.82% of oringinal volume to 98.52% when the pressure was dropped.

The average NBU well produces approximately 6 bbls condensate per month. The resulting shrinkage would amount to 0.56 bbls per month lost volume due to shrinkage. The value of the shrunk and lost condensate does not recoup or payout the cost of installing and maintaining the valves and other devices that hold the positive tank pressure. An economic run based on the loss and costs is attached.

Westport Oil & gas requests approval of this variance in order to increase the value of the well to the operator and the mineral royalty owners.

14. I hereby certify that the foregoing is true and correct	****	
Name (Printed/Typed) Title	: À	SED 1 0 con
J.T. Conley COPY SENT TO CHERATOR	Operations Manager	
Signature Initials CHO Date	9-2-2003	DIV. OF OIL GAS & MININ
	EPERAL OR STATE USE by the	-LOS This
Approved by	Utah Division of Date	Action Is Necessary
Conditions of approval, if any, are attached. Approval of this notice does not warrant or	Office Off, Gas and withing	
certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Date: 9/16/03	
Title 18 U.S.C. Section 1001, make it a crime for any person knowingly a false, fictitious or fraudulent statements or representations as to any matter v	nd millfully to make to any degaranent or agency	of the United States any

s, L.P.					
Fill in blue	areas with before	and after project do	to The evolution row		
are shown be	fow and graphed au	tomatically at the bot	tom of the page. This d	neet	
OPX entered	as annual costs and/	or as unit OPX costs fo	iulas. S oo JTC for chang ir \$/BF and \$/MCF	jes.	
Condensate :	Shrinkage Economic	1			
pull or product	ion rig job ???	(Y or N)			
	BEFORE	AFTER	DIFFERENCE		
	\$1,088	\$/7ecr \$1,099	\$/Year \$11		
		\$0	\$0		
SERVICE			\$0		
			\$0		
BOR			\$0		
	\$0	\$200	\$200		
AS	\$0	\$0	\$0		
	\$0	\$0	\$0		
UPPLY	\$0	\$150			
			\$0		
OCESSING		-	\$0		
Totals	\$0	\$350	\$350	Increased OPX	Per Year
Code Code	Cost, \$	 -			
820/830/840	\$1,200	Electric Cost \$	- \$ / HP / day		
630/860	\$1,200	OPX/BF \$			
OBY Detell			•		
_		After	Difference		
1	0.192 BOPD				
	HP	HP			
o [MCFPD	МС	FPD 0 M	ICFPD	
		i Por	vout Calculation		
Life =[20.0 Years	1			
	ionger man 20 years)	Pay			= 1
_	#DIV/OI	_			
-	4014/01	See	out occurs when total , graph below, note yea	At cashflow equa ars when cashflow	ıls investment v reaches zero
	(\$2.917) (Discour	1			
	(\$2,717) (DISCOL	United Griuss) Pay	OUT = NEVER	Years or #V/	LUE Days
:	6 80				
	0 MCF				
	30 MCFE				
U well produce	s 0.192 Sepd with no	tank pressure. The pr	nduction is increased to	0 104 8 4 8 4 -	
the tank. The in	creased production	does not payout the v	aive cost or the estimat	ed annual maint	enance costs.
	Project: Conde	nsate Shrinkage Econ	omics		
+					
	: : :			1 1	1 1
	Fill in blue are shown bat is protected to OPX entered. Condensate: Description product Fill in blue are shown bat is protected to OPX entered. Condensate: Fill in blue are shown bat is protected to OPX entered. Fill in product Fill in blue are shown bat is product. Fill in blu	Fill in blue areas with before ore shown ballow and graphed au is protected to prevent accidental OPX entered as annual costs and/oPX entered as annual costs annual costs annual costs annual costs annual costs annual costs annual costs annual costs annua	Fill in blue are as with before and after project da are shown below and graphed automatically at the bot is protected to prevent accidental alteration of the form OPX entered as annual costs and/or as unit OPX costs for OPX entered as annual costs and/or as unit OPX costs for OPX entered as annual costs and/or as unit OPX costs for OPX entered as annual costs and/or as unit OPX costs for OPX entered as annual costs and/or as unit OPX costs for OPX entered as annual costs and/or as unit OPX costs for OPX entered as annual costs and/or as unit OPX costs for OPX entered as annual costs and/or as unit OPX costs for OPX entered as annual costs and/or as unit OPX costs for OPX entered as annual costs and/or as unit OPX costs for OPX entered as annual costs and/or as unit OPX costs for OPX entered as annual costs and/or as unit OPX costs for OPX entered as annual costs and/or as unit OPX costs for OPX entered as annual costs and/or as unit OPX costs for OPX entered as annual costs and/or as unit OPX costs for OPX entered as annual costs and/or as unit OPX costs for OPX entered as annual costs and/or as unit OPX costs for OPX entered as annual costs and/or or only opx entered as annual costs and/or or only opx entered as annual costs and/or or only opx entered as annual costs and/or or only opx entered as annual costs and/or or only opx entered as annual costs and/or or only opx entered as annual costs and/or or only opx entered as annual costs and/or or only opx entered as annual costs and/or or only opx entered as annual costs and/or or only opx entered as annual costs and only opx entered as annual costs and opx entered as annual costs and opx entered as annual costs and opx entered as annual costs and/or or only opx entered as annual costs and opx entered as annual costs and opx entered as annual costs and opx entered as annual costs and opx entered as annual costs and opx entered as annual costs and opx entered as annual costs annual costs annual costs annual costs annual costs annual costs annual costs annual co	Fill in blue and graphed automatically at the bottom of the page. This is protected to prevent accidental afteration of the formulas. See JTC for change or shown below and graphed automatically at the bottom of the page. This is protected to prevent accidental afteration of the formulas. See JTC for change or shown below and graphed automatically at the bottom of the page. This is protected to prevent accidental afteration of the formulas. See graph below. note yet at the page. This is protected to prevent accidental after a surface or shown below and surface. The production is prevent accidental after a surface and surface. The production is prevent and surface. The production is prevent at the page. This is protected to prevent accidental after a surface. The production is prevent at the page. This is provided to prevent accidental after a surface. The production is prevent at the page. This is provided to prevent accidental after a surface. The production is prevent at the page. This is provided to prevent accidental after a surface. The production is prevent at the page. This is provided to prevent accidental ac	Fill in blue

Westport Oil and Gas, Inc. NBU/Ouray Field

RFL 2003-022

COMPARISON OF FLASH BACK PRESSURES

Calculated by Characterized Equation-of-State

Flash Conditions		Gas/Oil Ratio (scf/STbbl)	Specific Gravity of Flashed Gas	Separator Volume Factor	Separator Volume Percent
psig	°F	(A)	(Air=1.000)	(B)	(C)
Calculated	l at Labora	tory Flash Cond	ftions		
80	70			1.019	
0	122	30.4	0.993	1.033	101.37%
0	60	0.0	_	1.000	98.14%
Calculated	l Flash witi	n Backpressure i	using Tuned EOS	•	
80	70			1.015	
6.0 oz	65	24.6	0.777	1.003	98.82%
0	60	0.0		1.000	98.52%
80	70			1.015	
4.0 oz	65	24.7	0.778	1.003	98.82%
0	60	0.0	_	1.000	98.52%
80	70			1.015	
2.0 oz	65	24.7	0.779	1.003	98.82%
0	60	0.0	_	1.000	98.52%
80	70			1.015	
0	65	24.8	0.780	1.003	98.82%
0	60	0.0		1.000	98.52%

Note: Bubblepoint of sample in original sample container was 80 psig at 70° F with 1 cc water

⁽A) Cubic Feet of gas at 14.696 psia and 60 °F per Barrel of Stock Tank Oil at 60 °F.

⁽B) Barrels of oil at indicated pressure and temperature per Barrel of Stock Tank Oil at 60 °F.

⁽C) Oil volume at indicated pressure and temperature as a percentage of original saturated oil volume.

WELL	LEGALS	STFLEASENO	CANUMBER	15/4/5
CIGE 258	19-9-21 NWSE			APINO
CIGE 259	6-10-21 SWNE	UTU0591	891008900A	430473466700S1
CIGE 260	6-10-21 NENE	UTU01791	891008900A	430473436700\$1
CIGE 261	7-10-21 NWSE	UTU01791	891008900A	430473436800S1
CIGE 262		UTU02270A	891008900A	430473436900S1
CIGE 263	7-10-21 SENE	UTU01791	891008900A	430473437000S1
CIGE 264	19-10-22 SESE	ML20714	891008900A	430473422600S1
	19-10-21 SWSW	ML-22792	891008900A	430473422700S1
CIGE 265	15-9-20 SENE	UTU0144868	891008900A	430473478100S1
CIGE 266	33-9-22 NWSW	UTU01191A	891008900A	430473438600S1
CIGE 268	8-10-22 NWSE	UTU01196E	891008900A	430473441200S1
CIGE 271	32-9-22 SWNE	ML22649	891008900A	430473479500S1
CIGE 274	13-9-21 NENW	UTU01193	891008900A	430473477800S1
CIGE 275	21-10-21 NENW	UTU02278	891008900A	430473479900S1
CIGE 276	21-10-21 SWNW	UTU02278	891008900A	430473441700S1
CIGE 277	21-10-21 NWNW	UTU02278	891008900A	430473480000S1
CIGE 278	14-10-21 NESE	UTU01393C	891008900A	430473444500S1 V
CIGE 279	14-10-21 SESE	UTU01393C	891008900A	430473447900S1 V
CIGE 280	5-10-22 SWNW	UTU01195	891008900A	430473444300S1 /
CIGE 281	5-10-22 NWSW	UTU01191A	891008900A	430473444400S1 V
CIGE 282	7-10-22 NENE	ML23609	891008900A	430473443600\$1 🗸
CIGE 283	35-9-21 SESE	ML22582	891008900A	430473479000S1
CIGE 284	1-10-21 SWNW	ML23612	891008900A	430473479200S1
CIGE 285	2-10-21 NENE	ML22652	891008900A	430473479300S1
CIGE 286	9-10-21 SENE	U01416	891008900A	430473479700S1
CIGE 287	9-10-21 NWSE	U01416	891008900A	
CIGE 288	21-9-21 NWSE	UTU0576	891008900A	430473479800\$1
CIGE 289	7-9-21 NWSE	UTU0575B	891008900A	43047 348 42
CIGE 290	10-10-21 NESE	UTU0149079	891008900A	430473486500S1 V
CIGE 291	10-10-21 NWSE	UTU0149079		430473486900S1
CIGE 292	8-10-22 SESE		891008900A	430473486800\$1
CIGE 293	8-10-22 SUSE	UTU01196E UTU01196E	891008900A	430473487100S1
CIGE 294	8-10-22 NENW	UTU466	891008900A	430473483800\$1
CIGE 295	14-10-22 NENW	UTU01197A-ST	891008900A	430473487000S1
CIGE 295			891008900A	430473482000S1
CIGE 290 CIGE 297	14-10-22 NWNW 14-10-22 SWNW	U01197A-ST	891008900A	430473485800S1 /
CIGE 298	9-10-22 SESW	U01197A-ST	891008900A	430473485700S1 ✓
CIGE 299		UTU01196B	891008900A	430473485500S1
	14-10-22 NWSW	UTU468	891008900A	430473485900S1
NBU 004	23-9-21 NESE	UTU0149075	891008900A	430473005600S1
NBU 006	24-9-21 NWSE	UTU0149076	891008900A	430473008300S1
NBU 015	26-9-21 SESW	U99070-01	891008900A	430473020400S1
NBU 016	34-9-22 SWSE	UTU0149077	891008900A	430473020900S1
NBU 018	10-10-22 SWNE	UTU025187	891008900A	430473022100S1
NBU 020	28-9-21 NESW	U05676	891008900A	430473025000S1
NBU 022	18-10-22 SENE	ML22973	891008900A	430473025600S1
NBU 023	19-9-22 SWNE	UTU0284	891008900A	430473086800S1
NBU 024N2	12-10-22 SESE	U01197A	891008900A	430473053500S1
NBU 026	27-9-21 CSE	U01194A	891008900A	430473025200S1 -
NBU 027	33-9-21 NESW	U015630	891008900A	430473030400S1
NBU 027A	33-9-21 SWNE	U015630	891008900A	430473039800S1
NBU 028	13-10-21 NWSE	ML23608	891008900A	430473030500S1
NBU 029	11-10-21 NESW	UTU0149080	891008900A	430473030200S1
NBU 030	16-10-22 SWSE	ML22653	891008900A	430473030600S1
И В И-031	11-10-22 SESW	U01197A	891008900A	430473030700S1 🗸
NBU 032Y	20-9-22 NWNW	UTU0284	891008900A	430473051400S1
NBU 033Y	18-10-21 NWNW	UTU02270A	891008900A	430473050400S1
NBU 035Y	29-9-21 NWSE	UTU0581	891008900A	430473050300S1
NBU 036Y	30-9-21 SENE	DFU9581	891008900A	430473060300S1
NBU 037XP	3-10-22 SESE	UTU01191A	-891008900A	430473072400S1
NBU 038N2	13-10-22 NWSW	U06512	891008900A	430473053600S1
NBU 039	29-10-22 SWSW	UTU0132568A	891008900A	430473086100S1
NBU 041J	31-9-22 NWSW	ML23607	891008900A	430473122400\$1
1100 0410	01-0-22 (444044	141220001	001000000	70071012240001

Division of Oil, Gas and Mining OPERATOR CHANGE WORKSHEET

ROUTING
1. DJJ
2 CDW

X Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:	1/6/2006					
FROM: (Old Operator):	TO: (New O	erator):				
N2115-Westport Oil & Gas Co., LP	N2995-Kerr-M		Gas Onsho	re, LP		
1368 South 1200 East	1368 S	outh 1200	East			
Vernal, UT 84078	Vernal	, UT 84078	3			
Phone: 1-(435) 781-7024	Phone: 1-(435)	781-7024				
CA No.	Unit: NATURAL BUTTES			UNIT		
WELL NAME SEC TWN RNG	API NO	ENTITY	LEASE	WELL	WELL	
l 9,		NO	TYPE	TYPE	STATUS	
OPERATOR CHANGES DOCUMENTATION						
Enter date after each listed item is completed						
1. (R649-8-10) Sundry or legal documentation was received from the	FORMER ope	rator on:	5/10/2000	5		
2. (R649-8-10) Sundry or legal documentation was received from the	NEW operator	on:	5/10/2000	5		
3. The new company was checked on the Department of Commerce	e, Division of Co	orporation	s Database	on:	3/7/2006	
4a. Is the new operator registered in the State of Utah: YES	Business Numb	er:	1355743-01	81		
4b. If NO , the operator was contacted contacted on:	_			_		
5a. (R649-9-2)Waste Management Plan has been received on:	IN PLACE					
5b. Inspections of LA PA state/fee well sites complete on:	n/a	3 LA well	s & all PA v	vells tran	sferred	
5c. Reports current for Production/Disposition & Sundries on:	ok	•				
6. Federal and Indian Lease Wells: The BLM and or the I	BIA has appro	ved the n	nerger, na	me chan	ge,	
or operator change for all wells listed on Federal or Indian leases of	on:	BLM	3/27/2000	BIA	not yet	
7. Federal and Indian Units:						
The BLM or BIA has approved the successor of unit operator for	r wells listed on:		3/27/2006			
8. Federal and Indian Communization Agreements ("	CA"):					
The BLM or BIA has approved the operator for all wells listed w			n/a			
	ivision has appro		-	isfer of A	uthority to	
Inject, for the enhanced/secondary recovery unit/project for the wa	ater disposal wel	ll(s) listed o	on:			
DATA ENTRY:						
1. Changes entered in the Oil and Gas Database on:	5/15/2006					
2. Changes have been entered on the Monthly Operator Change Sp			5/15/2006	_		
3. Bond information entered in RBDMS on:4. Fee/State wells attached to bond in RBDMS on:	5/15/2006	-				
4. Fee/State wells attached to bond in RBDMS on:5. Injection Projects to new operator in RBDMS on:	5/16/2006	-				
6. Receipt of Acceptance of Drilling Procedures for APD/New on:	-	n/a	Name Cha	nge Only		
BOND VERIFICATION:						
Federal well(s) covered by Bond Number:	CO1203					
2. Indian well(s) covered by Bond Number:	RLB0005239	-				
3. (R649-3-1) The NEW operator of any fee well(s) listed covered by		-	RLB000523	36		
a. The FORMER operator has requested a release of liability from the	•	n/a	rider adde			
The Division sent response by letter on:			_			
LEASE INTEREST OWNER NOTIFICATION:		-				
4. (R649-2-10) The FORMER operator of the fee wells has been cont	tacted and inform	ned by a let	tter from the	Division		
of their responsibility to notify all interest owners of this change on		5/16/2006				
COMMENTS:						

Form 3 160-5 (August 1999)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB No. 1004-0135 Expires Jnovember 30, 2000

5.	Lease	Serial	No.

SUNDRY Do not use this abandoned well.	MULTIPLE LEASES 6. If Indian, Allottee or Tribe Name		
SUBMIT IN TRIPI	7. If Unit or CA/Agreement, Name and/or No.		
I. Type of Well	_		
Oil Well X Gas Well	☐ Other		8. Well Name and No.
2. Name of Operator			MUTIPLE WELLS
KERR-McGEE OIL & GAS	ONSHORE LP		9. API Well No.
3a. Address		3b. Phone No. (include area	code)
1368 SOUTH 1200 EAST	VERNAL, UT 84078	(435) 781-7024	10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec.	, T., R., M., or Survey Descript		
SEE ATTACHED	11. County or Parish, State UINTAH COUNTY, UTAH		
12. CHECK AP	PROPRIATE BOX(ES) TO	INDICATE NATURE OF NO	OTICE, REPORT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION		
Notice of Intent	Acidize Alter Casing		roduction (Start/Resume) Water Shut-Off
Subsequent Report	Casing Repair	New Construction F	decomplete
Final Abandonment Notice Convert to Injection Plug Back Water Disp			emporarily Abandon OPERATOR Vater Disposal
13. Describe Proposed or Completed Op If the proposal is to deepen direction	erations (clearly state all pertiner nally or recomplete horizontally,	nt details, including estimated starting give subsurface locations and measur	g date of any proposed work and approximate duration thereof, red and true vertical depths of all pertinent markers and zones.

If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

PLEASE BE ADVISED THAT KERR-McGEE OIL & GAS ONSHORE LP, IS CONSIDERED TO BE THE OPERATOR OF THE ATTACHED WELL LOCATIONS. EFFECTIVE JANUARY 6, 2006.

KERR-McGEE OIL & GAS ONSHORE LP, IS DESPONSIBLE LINDER TERMS AND CONSIDERED.

RECEIVED

KERR-McGEE OIL & GAS ONSHORE LP, IS RESPONSIBLE UNDER TERMS AND CONDITIONS OF THE LEASE(S) FOR THE OPERATIONS CONDUCTED UPON LEASE LANDS. BOND COVERAGE

BIM BOND = CDI202

MAY 1 0 2006

IS PROVIDED BY STATE OF UTAH NATIONWIDE BOND NO. RLB0005237.

DIV. OF OIL, GAS & MINING

 I hereby certify that the foregoing is true and corn Name (Printed/Typed) FANDY BAYNE 	Title Earlene R	lene Russell 16 Oil, Gas and Mining 18 Ussell, Engineering Technician
Signature / Sayne	Date May 9, 2006	
	THIS SPACE FOR FEDERAL OR STATE L	JSE
Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this certify that the applicant holds legal or equitable title to those which would entile the applicant to conduct operations thereo	rights in the subject lease	3076

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Form 3 160-5 (August 1999)

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

FORM APPROVED OMB No. 1004-0135 Expires Jnovember 30, 2000

5. Lease Serial No.

MULTIPLE LEASES

SUNDRY NOTICES AND REPORTS ON WELLS

	Use Form 3160-3 (APD)				6. If Indiar	, Allottee or Tribe Name
SUBMIT IN TRIPL	ICATE – Other instru	ctions o	n reverse	e side	7. If Unit o	or CA/Agreement, Name and/or No.
I. Type of Well						
Oil Well X Gas Well	Other				8. Well Na	me and No.
2. Name of Operator					MUTIPL	.E WELLS
WESTPORT OIL & GAS CO	DMPANY L.P.				9. API Wel	l No.
3a. Address		3b. Phon	e No. (includ	le area d	code)	
1368 SOUTH 1200 EAST V		(435) 78	1-7024		10. Field and	Pool, or Exploratory Area
4. Location of Well (Footage, Sec.,	T., R., M., or Survey Description	on)				
055 47740450					11. County of	or Parish, State
SEE ATTACHED					UINTAH	COUNTY, UTAH
12. CHECK APP	ROPRIATE BOX(ES) TO I	NDICATE	NATURE (OF NO	TICE, REPORT, OR	OTHER DATA
TYPE OF SUBMISSION			TYP	E OF A	ACTION	
Notice of Intent	Acidize	Deepen		☐ Pr	oduction (Start/Resume) Water Shut-Off
_	Alter Casing	Fractur			eclamation	Well Integrity
Subsequent Report	Casing Repair		onstruction		complete	Other CHANGE OF
Final Abandonment Notice	Change Plans Convert to Injection	_	d Abandon		emporarily Abandon	OPERATOR
13. Describe Proposed or Completed Open	-	Plug Ba		_	ater Disposal	
Attach the Bond under which the wolfollowing completion of the involved testing has been completed. Final Aldetermined that the site is ready for fin EFFECTIVE JANUARY 6, 20 THE OPERATORSHIP OF TONSHORE LP.	operations. If the operation resulted and on the file at inspection. DO6, WESTPORT OIL 8 THE ATTACHED WELL	is in a multip d only after a & GAS CC LOCATIO	OMPANY	L.P., I	npletion in a new interva ling reclamation, have be HAS RELINQUISI -McGEE OIL & G	I, a Form 3160-4 shall be filed once ten completed, and the operator has
	APPR	OVED	51	161	06	RECEIVED
	<u>Ca</u>	rlove	Russ	ıll		— —
Division of Oil, Gas and Mining Earlene Russell, Engineering Technician					MAY 1 0 2006	
	Dariene I	Kussell, E	ngineerin	g Tect	hnician	NIV OF OUR OAR RAMMING
14. I hereby certify that the foregoing	g is true and correct					DIV_OF OIL_GAS & MINING
Name (Printed/Typed)		Title				
BRAD LANEY Signature			IEERING	SPEC	CIALIST	
orginature .		Date May 9,	2006			
	THIS SPACE			TATE U	JSE	
Approved by			itle		Date	
Olack January					5-9	7-06
Conditions of approval, if any, are attacked certify that the applicant holds legated equit which would entitle the applicant to conduct	table title to those rights in the subj	ect lease	ffice		¥ 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Title 18 U.S.C. Section 1001, make false, fictitious or fraudulent statemer	it a crime for any person know	vingly and v matter withi	villfully to m n its jurisdict	nake to a tion.	any department or ager	ncy of the United States any



BUREAU OF LAND MANAGEMENT Colorado State Office 2850 Youngfield Street Lakewood, Colorado 80215-7076

IN REPLY REFER TO:

CO922 (MM) 3106 COC017387 et. al.

March 23, 2006

NOTICE

Kerr-McGee Oil & Gas Onshore L.P. 1999 Broadway, Suite 3700 Denver, CO 80202

Oil & Gas

Merger/Name Change - Recognized

On February 28, 2006 this office received acceptable evidence of the following mergers and name conversion:

Kerr-McGee Oil & Gas Onshore L.P., a Delaware Limited Partnership, and Kerr-McGee Oil & Gas Onshore LLC, a Delaware Limited Partnership merger with and into Westport Oil and Gas Company L.P., a Delaware Limited Partnership, and subsequent Westport Oil & Gas Company L.P. name conversion to Kerr-McGee Oil & Gas Onshore L.P.

For our purposes the merger and name conversion was effective January 4, 2006, the date the Secretary of State of Delaware authenticated the mergers and name conversion.

Kerr-McGee Oil & Gas Onshore L.P. provided a list of oil and gas leases held by the merging parties with the request that the Bureau of Land Management change all their lease records from the named entities to the new entity, Kerr-McGee Oil & Gas Onshore L.P. In response to this request each state is asked to retrieve their own list of leases in the names of these entities from the Bureau of Land Management's (BLM) automated LR2000 data base.

The oil and gas lease files identified on the list provided by Kerr-McGee Oil & Gas Onshore L.P. have been updated as to the merger and name conversion. We have not abstracted the lease files to determine if the entities affected by the acceptance of these documents holds an interest in the lease, nor have we attempt to identify leases where the entity is the operator on the ground that maintains vested record title or operating rights interests. If additional documentation, for change of operator, is required you will be contacted directly by the appropriate Field Office. The Mineral Management Services (MMS) and other applicable BLM offices were notified of the merger with a copy of this notice

Please contact this office if you identify additional leases where the merging party maintains an interest, under our jurisdiction, and we will document the case files with a copy of this notice. If the leases are under the jurisdiction of another State Office that information will be forwarded to them for their action.

Three riders accompanied the merger/name conversion documents which will add Kerr-McGee Oil and Gas Onshore LLC as a principal to the 3 Kerr-McGee bonds maintained by the Wyoming State Office. These riders will be forward to them for their acceptance.

The Nationwide Oil & Gas Continental Casualty Company Bond #158626364 (BLM Bond #CO1203), maintained by the Colorado State Office, will remain in full force and effect until an assumption rider is accepted by the Wyoming State Office that conditions their Nationwide Safeco bond to accept all outstanding liability on the oil and gas leases attached to the Colorado bond.

If you have questions about this action you may call me at 303,239,3768.

/s/Martha L. Maxwell Martha L. Maxwell Land Law Examiner Fluid Minerals Adjudication

Attachment:

List of OG Leases to each of the following offices:
MMS MRM, MS 357B-1
WY, UT, NM/OK/TX, MT/ND, WY State Offices
CO Field Offices
Wyoming State Office
Rider #1 to Bond WY2357

Rider #1 to Bond WY2357 Rider #2 to Bond WY1865 Rider #3 to Bond WY1127





BUREAU OF LAND MANAGEMENT Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155 http://www.blm.gov

IN REPLY REFER TO: 3106 (UT-922)

March 27, 2006

Memorandum

To:

Vernal Field Office

From:

Chief, Branch of Fluid Minerals

Subject:

Merger Approval

Attached is an approved copy of the merger recognized by the Bureau of Land Management, Colorado State Office. We have updated our records to reflect the merger from Westport Oil and Gas Company L.P. into Kerr-McGee Onshore Oil and Gas Company. The merger was approved effective January 4, 2006.

Chief, Branch of Fluid Minerals

Enclosure

Approval letter from BLM COSO (2 pp)

CC:

MMS, Reference Data Branch, James Sykes, PO Box 25165, Denver CO 80225

State of Utah, DOGM, Attn: Earlene Russell, PO Box 145801, SLC UT 84114

Teresa Thompson

Joe Incardine

Connie Seare

Dave Mascarenas

Susan Bauman

MAR 2 8 2006

TOLOFOL, CAO 2 LINE D

Form 3 160-5 (August 1999)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB No. 1004-0135 Expires Jnovember 30, 2000

5.	Lease	Serial	No

BUREAU OF LAND MANAGEMENT			5. Lease Seriai No.		
SUNDRY NOTICES AND REPORTS ON WELLS			U-01196-E		
Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.			6. If Indian, Allottee or Tribe Name		
abandoned wen.	USE POINT STOU-S (AP D)) for such proposal	J.	7. If Unit or CA/Agreement, Name and/or No.	
SUBMIT IN TRIPLICATE – Other instructions on reverse side			7. If Offit of CA/Agreement, Name and/of No.		
1. Type of Well				UNIT #891008900A	
Oil Well X Gas Well	Other			8. Well Name and No.	
2. Name of Operator				CIGE 268	
KERR McGEE OIL & GAS (ONSHORE LP			9. API Well No.	
3a. Address		3b. Phone No. (include	le area code)	4304734412	
1368 SOUTH 1200 EAST V	'ERNAL, UT 84078	(435) 781-7024		10. Field and Pool, or Exploratory Area	
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)			NATURAL BUTTES		
				11. County or Parish, State	
NWSE SECTION 8, T10S, R22E 1731'FSL, 1877'FEL			UINTAH COUNTY, UTAH		
12. CHECK APP	ROPRIATE BOX(ES) TO I	INDICATE NATURE	OF NOTICE, R	EPORT, OR OTHER DATA	
TYPE OF SUBMISSION	TYPE OF ACTION				
Notice of Intent	X Acidize Alter Casing	Deepen Fracture Treat	Production Reclamatio		
X Subsequent Report	Casing Repair	New Construction	Recomplete		
Final Abandonment Notice	Change Plans Convert to Injection	Plug and Abandon Plug Back	Temporaril Water Disp		
If the proposal is to deepen directional Attach the Bond under which the wor following completion of the involved	ally or recomplete horizontally, girk will be performed or provide to operations. If the operation results bandonment Notices shall be file	ive subsurface locations and the Bond No. on file with Its in a multiple completion	Imeasured and true BLM/BIA. Requirence or recompletion is	ny proposed work and approximate duration thereof. evertical depths of all pertinent markers and zones, ed subsequent reports shall be filed within 30 days in a new interval, a Form 3160-4 shall be filed once mation, have been completed, and the operator has	

determined that the site is ready for final inspection.

05/02/2006: PMP 2 BBLS 2% KCL, 2 DRUMS OF 32% ACID & 18 BBLS 2% KCL FLUSH DOWN TBG.

14. I hereby certify that the foregoing is true and correct				
Name (Printed/Typed)	Title			
Snejjajupcnego	Regulatory Amalyst	5 M. T. N. S. S. S. S.		
Signature Mulling	Date May 17, 2006			
THIS SPACE FOR FEDERAL OR STATE USE				
Approved by	Title	Date		
Conditions of approval, if any, are attached. Approval of this notice certify that the applicant holds legal or equitable title to those right which would entitle the applicant to conduct operations thereon.	ts in the subject lease			
Title 18 U.S.C. Section 1001, make it a crime for any p	person knowingly and willfully to make 🕰	any department of gency of the United States	any	

false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Form 3160-5 (August 1999)

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

FORM APPROVED OMB No. 1004-0135 Expires Inovember 30, 2000

5. Lease Serial No.

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an

U-01196-E 6. If Indian, Allottee or Tribe Name

	. Use Form 3160-3 (APL	D) for such proposals.			
SUBMIT IN TRIPLICATE – Other instructions on reverse side 1. Type of Well				7. If Unit or CA/Agreement, Name and/or No. UNIT #891008900A	
2. Name of Operator					
KERR McGEE OIL & GAS ON	SHORE LP			9. API Well N	0.
3a. Address		3b. Phone No. (include	area code)	430473441	2
1368 SOUTH 1200 EAST VEI	RNAL, UT 84078	(435) 781-7024			ool, or Exploratory Area
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)				NATURAL BUTTES	
NWSE SECTION 8, T10S, R22E 1731'FSL, 1877'FEL				11. County or F	Parish, State
12. CHECK A	APPROPRIATE BOX(ES) T	O INDICATE NATURE	OF NOTICE, RI	EPORT, OR OTH	IER DATA
TYPE OF SUBMISSION	TYPE OF ACTION				
Notice of Intent Subsequent Report Final Abandonment Notice	Acidize Alter Casing Casing Repair Change Plans Convert to Injection	Deepen Fracture Treat New Construction Plug and Abandon Plug Back	Reclamati Recomple	te ily Abandon	Water Shut-Off Well Integrity Other MAINTENANCE
13. Describe Proposed or Completed Ope	rations (clearly state all pertin	ent details, including estimate	ed starting date of	any proposed wor	k and approximate duration thereof.

If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

06/28/2007: MIRU SPOT EQUIP CONTROL TBG W/7 BBLS NU 7 1/16 X 5K WELL HEAD NU BOPE HOOK UP BLOW DN EQUIP POOH W/7 1/16 HANGER MIRU PRS POOH INSPRECTING TBG FIRST 5 JTS PULLING OVER STRING WEIGHT 10,000# TO 5000# CAME FREE POOH W/202 JTS 2 3/8" J-55 TBG FOUND 159 JTS YELLOW BAND & 43 JTS BLUE OR RED BAND CONTROLLED WELL W/40 BBLS TOTAL ON TOOH (HEAVY SCALE TOWARDS BOTTOM APPROXIMATELY 5000') RDMO

false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

RECEIVED SEP 2 5 2007

		DIV OF OIL, GAS & MINING
14. I hereby certify that the foregoing is true and correct		Ditt. Oil Cit.; and a similar
Name (Printed/Typed) Sheila Upchego	Title Regulatory Analyst	
Signature MINUM	Date September 12, 2007	
THIS SP	ACE FOR FEDERAL OR STATE (JSE
Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does recertify that the applicant holds legal or equitable title to those rights in the which would entitle the applicant to conduct operations thereon.	subject lease	
Title 18 U.S.C. Section 1001, make it a crime for any person	knowingly and willfully to make	to any department or agency of the United States any